

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016075.01
DATE: 03/04/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Comfort View
CODE: 2111-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Comfort View Products, LLC 320 Coweta Industrial Park Building 7, Suite C-1 Newnan, GA 30265	Series "1500" Vinyl Outswing Casement Window Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-940mm(37") H-1905mm(75") Vent: W-876mm(34.50") H-1842mm(72.50") DLO: W-794mm(31.25") H-1759mm(69.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class LC-PG35 940 x 1905 (37 x 75)-C C-LC35 940 x 1905 (37 x 75) Design Pressure: ±1680 Pa (±35 psf) Water Penetration Resistance Test Pressure: 580 Pa (12.12 psf)

Product Tested By: Intertek, PLC
Report No: C8900.03-501-47
Expiration Date: **February 28, 2026**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be 'S. D.' or similar, written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com