NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI016076.01-R1
DATE: 03/04/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Comfort View
CODE: 2111-1
REVISION DATE: 01/22/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Comfort View Products, LLC **320 Coweta Industrial Park** **Building 7, Suite C-1** **Newnan, GA 30265**	**Series "1600"** **Vinyl Awning Window** Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-1219mm(48") H-813mm(32") Vent: W-1156mm(45.50") H-749mm(29.50") DLO: W-1073mm(42.25") H-667mm(26.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 **AAMA/WDMA/CSA 101/I.S.2/A440-05**	**Class LC-PG40 1219 x 813 (48 x 32)-AP** **AP-LC40 1219 x 813 (48 x 32)** **Design Pressure: ±1920 Pa (±40 psf)** **Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)**

Product Tested By: Intertek, PLC
Report No: C8901.03-501-47
Expiration Date: **February 28, 2027**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com