

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI016081  
**DATE:** 03/06/2024  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Fleetwood  
**CODE:** 1855-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Fleetwood Windows and Doors</b>  <b>1 Fleetwood Way</b>  <b>Corona, CA 92879</b>	<b>Series "450-T"</b>  <b>Thermally Broken Aluminum</b>  <b>Fixed Window</b>   Configuration: O Glazing: Insulating Glass (Annealed)  Frame: W-1524mm(60") H-2438mm(96")  DLO: W-1457mm(57.38) H-2372mm(93.38")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-22</b> <b>CSA A440S1:19</b>	<b>Class CW PG60 1524 x 2438 (60 x 96)-FW</b> <b>Design Pressure: <math>\pm 2880</math> Pa (<math>\pm 60</math> psf)</b> <b>Water Penetration Resistance Test Pressure: 440 Pa (9.19 psf)</b> <b>Canadian Air Infiltration/Exfiltration Level: Fixed</b>

Product Tested By: Fenestration Testing Laboratory, Inc.  
Report No: T23-107  
Expiration Date: December 31, 2027

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "MD" or similar, written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

**4794 George Washington Memorial Highway**

**Hayes, VA 23072**

**Tel: (804) 684-5124**

**Email: [nami@namiinc.com](mailto:nami@namiinc.com)**

NOPC-03/30/2023