

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016104  
DATE: 03/12/2024  
CERTIFICATION PROGRAM: Fire  
COMPANY: Bari Millwork  
CODE: 3020-1  
EXPIRATION DATE: 03/31/2028

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Bari Millwork &amp; Supply, LLC</b> <b>1975 Northwest 18th Street</b> <b>Pompano Beach, FL 33069</b>	<b>20-Minute Foam-Filled</b> <b>Steel Fire Door</b>  Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations  1/2" Minimum Latch Throw Single Swing Only  <b>Maximum Size: 3'0" x 6'8"</b> <b>Minimum Thickness: 1-3/4"</b>

SPECIFICATION	PRODUCT RATING
<b>NFPA 252 (2012/2017)</b> <b>UL 10B (2009/2015)</b>	<b>20 Minute-Neutral Pressure</b> <b>Without Hose Stream</b>

TEST REPORT
<b>Intertek Test Report No: 100108677COQ-001, G100108677, G100237215, G100211525, G100754937, G102772178</b>

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "M.D.", written over a horizontal line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023