

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016106  
DATE: 03/12/2024  
CERTIFICATION PROGRAM: Fire  
COMPANY: Builders First  
CODE: 1665-1  
EXPIRATION DATE: 03/31/2028

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Builders First Source</b> <b>399 Northpoint Parkway</b> <b>Acworth, GA 30102</b>	<b>TruTech Single Swing</b> <b>Fiberglass Foam Core</b> <b>Side Hinged Door</b>  Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations  1/2" Minimum Latch Throw Single Swing Only  <b>Maximum Size: 35.75" x 79.06"</b> <b>Minimum Thickness: 1.75"</b>

SPECIFICATION	PRODUCT RATING
<b>UL 10C (2016)</b>	<b>20 Minute-Positive Pressure</b> <b>Without Hose Stream</b> <b>Category B Door-Additional Edge Seal</b> <b>Required</b> <b>For Use in Category C Frame</b> <small>(or may also be installed in Category C-Proprietary in accordance with individual manufacturer's listing)</small>

TEST REPORT
<b>QAI Test Report No: T1172-4</b>

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC 03/30/2024