

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016111  
DATE: 03/20/2024  
CERTIFICATION PROGRAM: Structural  
COMPANY: Moss Supply  
CODE: 206-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Moss Supply Company</b> <b>5001 North Graham Street</b> <b>Charlotte, NC 28269</b>	<b>Series "9230"</b> <b>Vinyl Horizontal Sliding Window</b>  Configuration: XX Glazing: Insulating Glass (Annealed) Frame: W-1829mm(72") H-1524mm(60") Vent: W-899mm(35.38") H-1448mm(57") DLO: W-829mm(32.63") H-1372mm(54")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-22</b>	<b>Class R-PG15 1829 x 1524 (72 x 60)-HS</b> <b>Design Pressure: ±720 Pa (±15 psf)</b> <b>Water Penetration Resistance Test Pressure: 180 Pa (3.76 psf)</b>

Product Tested By: Intertek, PLC  
Report No: Q2271.01-109-44  
Expiration Date: August 31, 2027

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)

