NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: DATE: CERTIFICATION PROGRAM: COMPANY: CODE:

NI013415.04	
03/27/2024	
Structural	
Quaker	
031-1	
	_

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <u>www.namicertification.com</u>. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS		PRODUCT DESC	CRIPTION
Quaker Window Products	Series "M600/ModernVu"		
504 Highway 63 South	Aluminum Fixed Window		
Freeburg, MO 65035			
	Configuration: O Glazing: Insulating Glass (Heat Strengthened)		
	Frame:	W-1524mm(60")	H-2515mm(99")
	DLO:	W-1429mm(56.25")	H-2419mm(95.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class AW-PG70 1524 x 2525 (60 x 99)-FW Design Pressure: ±3352 Pa (70 psf)
	Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf)

Product Tested By: Report No: Expiration Date:

Architectural Testing, Inc. F8438.01-801-47/W-1984/W-2115 June 30, 2028

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072 Tel: (804) 684-5124 nami@namiinc.com

NOPC-03/30/2023