

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014013-R1  
DATE: 04/04/2018  
CERTIFICATION PROGRAM: Fire  
COMPANY: Gator Build Sup  
CODE: 2152-1  
REVISION DATE: 05/03/2022  
EXPIRATION DATE: 04/30/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Gator Building Supply, Inc.</b>  9555 North US 1  Sebastian, FL 32958	<b>Therma-Tru20 Minute SmoothStar</b>  <b>Fiberglass Door w/Proprietary Core</b>  <b>(Simulated Panel Type or Flush)</b>  Manufacture Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations  <b>Single Door Maximum Size: 3'0" x 8'0"</b>  <b>Minimum Thickness: 1-3/4"</b>

SPECIFICATION	PRODUCT RATING
<b>UL 10C (2009)(R2015)</b> <b>NFPA 252 (2012)</b>	<b>20 Minute-without Hose Stream</b> <b>Positive Pressure</b> <b>Category B- Additional Edge Sealing</b> <b>Required</b>

## TEST REPORT

**Intertek Test Report No: 3033943, 3084465, 3176111MID-002,  
3187023MID-002, 100354358MID-001, 100537989MID-001 & 102613119MID-004**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)