

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014779.09
DATE: 04/03/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Intus
CODE: 1817-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Intus Windows, LLC 2720 Prosperity Avenue, 400-1 Fairfax, VA 22031	Series "Supera" Polymer Fixed Window Configuration: O Glazing: IG-Ext. 5/32" Annealed Glass/0.090" Sentryglas Interlayer/5/32"/Annealed Glass/Int. 1/4" Tempered Glass Frame: W-1505mm(59.25") H-2505mm(98.63") DLO: W-1378mm(54.25") H-2378mm(93.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 ASTM E1886-19 ASTM E1996 -20 TAS-201/202/203-94	Class CW-PG70 1505 x 2505 (59 x 99)-FW Design Pressure: ±3360 Pa (±70 psf) Water Penetration Resistance Test Pressure: 510 Pa (10.65 psf) Missile Level D - Wind Zone 4 Large Missile Impact Rated

Product Tested By: Molimo Architectural Product Testing
Report No: 12197.04-106-13/12197.05-106-11/12197.06-106-11
Expiration Date: March 31, 2027

Administrator's Signature:  _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com