

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014779.10
DATE: 04/03/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Intus
CODE: 1817-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Intus Windows, LLC 2720 Prosperity Avenue, 400-1 Fairfax, VA 22031	Series "Supera" Polymer Fixed Windows (4 Lite Integral Mulled Fixed Lite) Configuration: OO/OO Glazing: IG-Ext. 5/32" Annealed Glass/0.090" Sentryglas SG5000 Interlayer/5/32"/Annealed Glass/Int. 1/4" Tempered Glass Frame: W-2297mm(90.44") H-3048mm(120") DLO: W-1032mm(40.63") H-1407mm(55.38")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 ASTM E1886-19 ASTM E1996 -20 TAS-201/202/203-94	Class CW-PG90 2297 x 3048 (90 x 120)-FW Design Pressure: ±4320 Pa (±90 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf) Missile Level D - Wind Zone 4 Large Missile Impact Rated

Product Tested By: Molimo Architectural Product Testing
Report No: 28332.01-106-13/28332.02-106-13/28332.03-106-11
Expiration Date: **March 31, 2028**

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com