NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015956

DATE: 01/16/2024

CERTIFICATION PROGRAM: Fire

COMPANY: Trimco Millwork

CODE: 868-1

EXPIRATION DATE: 01/31/2028

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Trimco Millwork 1835 Commerce Avenue	Steve's & Sons/Crest Doors Particleboard Core/Wood Veneer	
	Manufacturer Specific Fire Doors for Single & Double Swing Installation in 20 Minute Locations	
	1/2" Minimum Latch Throw Single & Double Swing Only	
	Single Maximum Size: 4'0" x 9'0" Double Maximum Size: 8'0" x 9'0" Minimum Thickness: 1-3/4"	

SPECIFICATION	PRODUCT RATING
UBC-7-2-97 UL 10C (1998)(2009) NFPA 252 (1995)(2008)	20 Minute-Positive Pressure w/o Hose Stream Category A Door-No Additional Edge Seal Required Category B Door-Additional Edge Seal Required For Use in Category C Frame (or may also be installed in Category C-Proprietary in accordance with individual manufacturer's listing)

TEST REPORT	
Warnock Hershey Test Report No: WHI-495-1367	

Shi

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

Tel: (804) 684-5124 nami@namiinc.com

NOPC 03/30/2023