

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016123.01
DATE: 04/04/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Moss Supply
CODE: 206-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Moss Supply Company 5001 North Graham Street Charlotte, NC 28269	Series "3500 Rep./3600 NC/3605 NC no J" Vinyl Horizontal Sliding Window Configuration: XX Glazing: Insulating Glass (Annealed) Frame: W-1829mm(72") H-1524mm(60") Sash: W-899mm(35.38") H-1448mm(57") DLO: W-829mm(32.63") H-1372mm(54")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22	Class R-PG20 1829 x 1524 (72 x 60)-HS Design Pressure: ±960 Pa (±20 psf) Water Penetration Resistance Test Pressure: 180 Pa (3.76 psf)

Product Tested By: Intertek, PLC
Report No: Q2271.03-109-44
Expiration Date: August 31, 2027

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com