

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016123.02  
DATE: 04/04/2024  
CERTIFICATION PROGRAM: Structural  
COMPANY: Moss Supply  
CODE: 206-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Moss Supply Company</b> <b>5001 North Graham Street</b> <b>Charlotte, NC 28269</b>	<b>Series "3500 Rep./3600 NC/3605 NC no J"</b> <b>Vinyl Horizontal Sliding Window</b>  Configuration: XX Glazing: Insulating Glass (Annealed) Frame: W-1600mm(63") H-1118mm(44") Sash: W-783mm(30.81") H-1045mm(41.13") DLO: W-708mm(27.88") H-965mm(38")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-22</b>	<b>Class R-PG25 1600 x 1118 (63 x 44)-HS</b> <b>Design Pressure: 1200 Pa (25 psf)</b> <b>Positive Design Pressure: 1920 Pa (40 psf)</b> <b>Negative Design Pressure: 1920 Pa (40 psf)</b> <b>Water Penetration Resistance Test Pressure: 180 Pa (3.76 psf)</b>

Product Tested By: Intertek, PLC  
Report No: Q2271.03-109-44  
Expiration Date: August 31, 2027

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)