

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI016134  
**DATE:** 04/18/2024  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Harvey  
**CODE:** 310-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Harvey Building Products</b> <b>30 Jack's Bridge Road</b> <b>Londonderry, NH 03053</b>	<b>Fire Rated Series Inswing Impact Door</b> <b>Opaque Inswing Fiberglass Door</b>  Configuration: X  Frame: W-953mm(37.50") H-2489mm(98") Panel: W-908mm(35.75") H-2419mm(95.25")

SPECIFICATION	PRODUCT RATING
<b>ASTM E283-04</b> <b>ASTM E330-02</b> <b>ASTM E331-00</b> <b>ASTM E1886-06/ASTM E1996-06</b>	<b>Design Pressure: +65/-65 psf</b> <b>Water Penetration Resistance Test Pressure: 0 Pa (0.00psf)</b> <b>Large Missile Impact Rated</b> <b>Missile Level D - Wind Zone 3</b>

Product Tested By: ETC Laboratories  
Report No: ETC-10-209-24173.0  
Expiration Date: **April 30, 2028**

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)