

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016135.03
DATE: 04/24/2024
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "Design Pro Smooth Pro Craftsman Fiberglass Swinging Door" Outswing Opaque Side Hinged Door Configuration: X Frame: W-953mm(37.50") H-2457mm(96.75") Panel: W-908mm(35.75") H-2416mm(95.13")

SPECIFICATION	PRODUCT RATING
TAS 202-94	Design Pressure: 3120 Pa (65 psf) Positive Design Pressure: 3120 Pa (65 psf) Negative Design Pressure: 3360 Pa (70 psf) Water Penetration Resistance Test Pressure: 0 Pa (0.00 psf)

Product Tested By: Molimo, LLC
Report No: 28219.01-201-12/28338.01-201-12
Expiration Date: **March 31, 2028**

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com