

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016138
DATE: 04/24/2024
CERTIFICATION PROGRAM: Structural
COMPANY: VALDA 90
CODE: 2773-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|--|
| VALDA 90 OOD 5002 Western Industrial Zone Veliko Tarnovo, Bulgaria | Series "Masterline 8" Aluminum Fixed Window Configuration: O Glazing: Insulating Glass (Tempered) Frame: W-1495mm(58.88") H-2500mm(98.44") DLO: W-1380mm(54.34") H-2380mm(93.69") |

| SPECIFICATION | PRODUCT RATING |
|--|---|
| AAMA/WDMA/CSA 101/I.S.2/A440-17 CSA A440S1-09 | Class AW-PG100 1495 x 2500 (59 x 98)-FW Design Pressure: ±4800 Pa (±100 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf) Canadian Air Infiltration/Exfiltration Level: Fixed |

Product Tested By: Intertek, PLC
Report No: L9407.01-303-44
Expiration Date: March 31, 2028

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023