
NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: DATE: CERTIFICATION PROGRAM: COMPANY: CODE:

NI016141	
04/24/2024	
Structural	
VALDA 90	
2773-1	

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <u>www.namicertification.com.</u> NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

PRODUCT DESCRIPTION	
Series "CP 155-LS"	
Aluminum Sliding Glass Door	
Configuration: XO Glazing: Insulating Glass (Tempered)	
Frame: W-3099mm(122") H-2400mm(94.50")	
Panel: W-1600mm(63") H-2296mm(90.38")	
DLO: W-1383mm(54.44") H-2280mm(89.75")	

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 CSA A440S1-09	Class AW-PG60 3099 x 2400 (122 x 95)-SD Design Pressure: ±2880 Pa (±60 psf) Water Penetration Resistance Test Pressure: 580 Pa (12.0 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By:
Report No:
Expiration Date:

Intertek, PLC K0111.01-301-47 March 31, 2028

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072 Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023