

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016145.01  
DATE: 04/24/2024  
CERTIFICATION PROGRAM: Structural  
COMPANY: VALDA 90  
CODE: 2773-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>VALDA 90 OOD</b> <b>5002 Western Industrial Zone</b> <b>Veliko Tarnovo, Bulgaria</b>	<b>Series "HFP 147"</b> <b>Aluminum Sliding Glass Door</b>  Configuration: XO Glazing: Insulating Glass - Double Laminated Glass (Annealed)  Frame: W-4801mm(189") H-3000mm(118") Panel: W-2350mm(92.50") H-2835mm(111.63") DLO: W-2302mm(90.63") H-2786mm(109.69")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class CW-PG30 4801 x 3000 (189 x 118)-SD</b> <b>Design Pressure: ±1440 Pa (±30 psf)</b> Water Penetration Resistance Test Pressure: 390 Pa (8.15 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: Intertek, PLC  
Report No: D9653.05-301-47  
Expiration Date: March 31, 2028

Administrator's Signature: 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023