

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016146
DATE: 04/24/2024
CERTIFICATION PROGRAM: Structural
COMPANY: VALDA 90
CODE: 2773-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|--|
| VALDA 90 OOD 5002 Western Industrial Zone Veliko Tarnovo, Bulgaria | Series "TC14-129 CS 68 Hopper" Aluminum Inswing Hopper Window Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-1500mm(59.06") H-900mm(35.44") Vent: W-1430mm(56.31") H-830mm(32.69") DLO: W-1214mm(47.81") H-614mm(24.19") |

| SPECIFICATION | PRODUCT RATING |
|--|---|
| AAMA/WDMA/CSA 101/I.S.2/A440-08 | Class AW-PG40 1500 x 900 (59 x 35)-AP Design Pressure: ±1920 Pa (±40 psf) Water Penetration Resistance Test Pressure: 750 Pa (15.66 psf) |

Product Tested By: Intertek, PLC
Report No: E5719.01-301-44
Expiration Date: March 31, 2028

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023