

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016149  
DATE: 04/24/2024  
CERTIFICATION PROGRAM: Structural  
COMPANY: VALDA 90  
CODE: 2773-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>VALDA 90 OOD</b> <b>5002 Western Industrial Zone</b> <b>Veliko Tarnovo, Bulgaria</b>	<b>Series "CP 68"</b> <b>Aluminum Sliding Glass Door</b>  Configuration: XO Glazing: Insulating Glass (Tempered) Frame: W-2400mm(94.50") H-2140mm(84.25") Panel: W-1176mm(46.31") H-1924mm(75.75") DLO: W-1073mm(42.25") H-1895mm(74.63")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>CSA A440S1-09</b>	<b>Class CW-PG60 2400 x 2140 (95 x 84)-SD</b> <b>Design Pressure: ±2880 Pa (±60 psf)</b> Water Penetration Resistance Test Pressure: 580 Pa (12.00 psf) Canadian Air Infiltration/Exfiltration Level: A2

Product Tested By: UL Laboratory Canada Inc.  
Report No: K0111.02-301-47  
Expiration Date: **March 31, 2028**

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)