

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016152
DATE: 04/24/2024
CERTIFICATION PROGRAM: Structural
COMPANY: VALDA 90
CODE: 2773-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
VALDA 90 OOD 5002 Western Industrial Zone Veliko Tarnovo, Bulgaria	Series "Masterline 8" Aluminum Glazed Maiden Lane Terrace Side Hinged Door Configuration: X Glazing: Insulating Glass (Tempered) Frame: W-1025mm(40.38") H-2684mm(105.69") Panel: W-918mm(36.13") H-2624mm(103.31") DLO: W-730mm(28.75") H-2436mm(95.91")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/12 ASTM E330-14 ASTM E330M-14	Design Pressure: +45/-70 psf Water Penetration Resistance Test Pressure: 575 Pa (12.00 psf)

Product Tested By: Intertek, PLC
Report No: H6408.01-109-47
Expiration Date: March 31, 2028

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com