

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016154
DATE: 04/25/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Fleetwood
CODE: 1855-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Fleetwood Windows and Doors 1 Fleetwood Way Corona, CA 92879	Series "EDGE Series" Aluminum Sliding Glass Door (w/7/8" Sill Riser) Configuration: XXX Glazing: IG-Ext. 1/4" Tempered Glass/Int. 1/4" Heat Strengthened Glass/0.090" SentryGlas Interlayer/1/4" Heat Strengthened Glass or 1/4" Heat Strengthened Glass/0.090" SentryGlas Interlayer/1/4" Heat Strengthened Glass Frame: W-4570mm(179.94") H-3048mm(120") Panel: W-1529mm(60.19") H-2942mm(115.81") DLO: W-1478mm(58.19) H-2881mm(113.44")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 ASTM E1886-13a ASTM E1996-14a TAS 201/202/203-94	Class LC-PG75 4570 x 3048 (180 x 120)-SD Design Pressure: ±3600 Pa (±75 psf) Water Penetration Resistance Test Pressure: 540 Pa (11.25 psf) Missile Level D - Wind Zone 4 Large Missile Impact Rated

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 01993774/TEL 01993775/TEL 01993776
Expiration Date: October 31, 2027

Administrator's Signature: _____ 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124/Email: nami@namiinc.com

NOPC-03/30/2023