

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI016160  
**DATE:** 04/29/2024  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** ESI Interiors  
**CODE:** 3037-1  
**EXPIRATION DATE:** 04/30/2028

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>ESI Interiors Corporation</b> <b>12336 West Overland Drive</b> <b>Boise, ID 83709</b>	<b>Steve's &amp; Sons/Crest Doors</b> <b>Flush or 6-Panel Steel Skin</b> <b>Side-Hinged Door Assembly</b>  Manufacturer Specific Fire Doors for Single & Double Swing Installation in 20 Minute Locations  1/2" Minimum Latch Throw Single Swing Only  <b>Single Maximum Size: 3'0" x 6'8"</b> <b>Minimum Thickness: 1-3/4"</b>

SPECIFICATION	PRODUCT RATING
<b>UL 10C (2021)</b>	<b>20 Minute-Positive Pressure w/o Hose Stream</b> <b>Category B Door-Additional Edge Seal Required</b> <b>For Use in Category C Frame</b> <small>(or may also be installed in Category C-Proprietary in accordance with individual manufacturer's listing)</small>

TEST REPORT
<b>Intertek Test Report No: 105287053MID-004R1</b>

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
 MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
 Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC 03/30/2023