NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: DATE: CERTIFICATION PROGRAM: COMPANY: CODE: EXPIRATION DATE:

NI016178	
05/07/2024	
Fire	
SOCO Door	
3050-1	
05/31/2028	

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <u>www.namicertification.com</u>. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

PRODUCT DESCRIPTION
Therma Tru OF Buff
Proprietary Composite Door Frame
Manufacture Specific Fire Door Frames for Single Swing Only Installation in 20 Minute Locations
Single Door Maximum Size: 4'0" x 8'0"
Minimum Thickness: 4-1/8"

SPECIFICATION	PRODUCT RATING
NFPA 252 (2017) UL 10B (2015) UL 10C (2016) CAN/ULC S104 (2015)	20 Minute-With Hose Stream Positive & Neutral Pressure Category C- Proprietary Frame

TEST REPORT

Intertek Test Report No(s): 190307005SHF-002

Sh

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

nami@namiinc.com

NOPC 03/30/2023