

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016179  
DATE: 05/07/2024  
CERTIFICATION PROGRAM: Fire  
COMPANY: SOCO Door  
CODE: 3050-1  
EXPIRATION DATE: 05/31/2028

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Soco Door &amp; Window Services, LLC.</b> <b>2928 North 35th Ave, Suite 4</b> <b>Phoenix, AZ 85017</b>	<b>Therma Tru OF White</b> <b>Proprietary Composite Door Frame</b>  Manufacture Specific Fire Door Frames for Single Swing Only Installation in 20 Minute Locations  <b>Single Door Maximum Size: 4'0" x 8'0"</b>  <b>Minimum Thickness: 4-1/8"</b>

SPECIFICATION	PRODUCT RATING
<b>NFPA 252 (2017)</b> <b>UL 10B (2015)</b> <b>UL 10C (2016)</b> <b>CAN/ULC S104 (2015)</b>	<b>20 Minute-With Hose Stream</b> <b>Positive &amp; Neutral Pressure</b> <b>Category C- Proprietary Frame</b>

TEST REPORT
<b>Intertek Test Report No(s): 190307005SHF-002</b>

Administrator's Signature:  \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)