

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016230  
DATE: 06/17/2024  
CERTIFICATION PROGRAM: Structural  
COMPANY: Shandong Huada  
CODE: 3057-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Shandong Huada Window-Door &amp; Curtain Wall Co., Ltd.</b> <b>369 Yuzhong Road, Linqu County,</b> <b>Weifang, Shandong,</b> <b>China 262600</b>	<b>Series "GWT70A"</b> <b>Aluminum Casement Window</b>  Configuration: X  Glazing: Insulating Glass (Tempered)  Frame: W-800mm(31.50") H-1500mm(59.06") Sash: W-731mm(28.78") H-1430mm(56.30") DLO: W-573mm(22.56") H-1272mm(50.08")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>CSA A440S1-19</b>	<b>Class CW-PG50 800 x 1500 (32 x 59)-C</b> <b>Design Pressure: ±2400 Pa (±50 psf)</b> Water Penetration Resistance Pressure: 580 Pa (12.11 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: Intertek - Shanghai  
Report No: 230714017SHF-006  
Expiration Date: August 31, 2027

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)