

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI016243  
**DATE:** 07/10/2024  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Warren  
**CODE:** 2890-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Warren Windows &amp; Doors</b> <b>(GuangDong) Co., Ltd.</b> <b>7 East Industrial Road, Songxia Ind. Park</b> <b>Guangdong, China 528200</b>	<b>Series "Push Out Plus"</b> <b>Aluminum Casement Window</b>  Configuration: X Glazing: Insulating Glass (Tempered)  Frame: W-813mm(32") H-1524mm(60") Panel: W-691mm(27.2") H-1402mm(55.2") DLO: W-559mm(22") H-1269mm(49.96")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>	<b>Class CW-PG50 813×1524 (32×60)-C</b> <b>Design Pressure: ±2394 Pa (±50psf)</b> Water Penetration Resistance Test Pressure: 720 Pa (15 psf)

Product Tested By: Intertek, PLC  
Report No: 230630014SHF-001  
Expiration Date: August 31, 2027

Administrator's Signature: 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)