

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO:	<u>NI016313</u>
DATE:	<u>08/26/2024</u>
CERTIFICATION PROGRAM:	<u>Fire</u>
COMPANY:	<u>Truitt & White</u>
CODE:	<u>2807-1</u>
EXPIRATION DATE:	<u>08/31/2028</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>Truitt & White Lumber Company, Inc.</p> <p>642 Hearst Avenue</p> <p>Berkeley, CA 94710</p>	<p>TruStile 20-Minute</p> <p>Wood Side Hinged Door</p> <p>Manufacture Specific Fire Door for Single & Double Swing Installation in 20-Minute Locations</p> <p>Single Door Maximum Size: 4'0" x 8'0"</p> <p>Single Door Maximum Size: 3'0" x 8'6"</p> <p>Double Door Maximum Size: 8'0" x 8'0"</p>

SPECIFICATION	PRODUCT RATING
<p>CAN / ULC S104 (2015 (R2020))</p> <p>NFPA 252 (2008)(2012)</p> <p>UL 10C (2016)</p> <p>UL 10B (2015)</p> <p>NFPA 252 (2017)</p>	<p>20-Minute Positive/Neutral Pressure</p> <p>With or Without Hose Stream</p> <p>Category A - No Additional Edge-Sealing Required</p>

TEST REPORT
<p>Intertek Test Report No(s): 3105015COQ-003, 3156666COQ-002</p>

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com