

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016360  
DATE: 10/22/2024  
CERTIFICATION PROGRAM: Structural  
COMPANY: Boise Cascade  
CODE: 2830-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Boise Cascade Building Materials Distribution, LLC 3208 East Amity Road Boise, Idaho 83709</b>	<b>Series "Hung Manufactured Door" Fiberglass Inswing Side-Hinged Door</b>  Configuration: X Glazing: Insulating Glass (Tempered) Frame: W-953mm(37.50") H-2076mm(81.75") Panel: W-908mm(35.75") H-2007mm(79") DLO: W-527mm(20.75") H-883mm(34.75")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-22</b>	<b>Class R-PG40 953 x 2076 (38 x 82)-LW SHD Design Pressure: ±1920 Pa (±40 psf) Water Penetration Resistance Test Pressure: 0 Pa (0.00 psf)</b>

Product Tested By: Intertek, PLC  
Report No: R4927.01-901-44  
Expiration Date: June 30, 2028

Administrator's Signature: 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)