

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016409
DATE: 11/25/2024
CERTIFICATION PROGRAM: Fire
COMPANY: Alvey Lumber
CODE: 2984-1
EXPIRATION DATE: 11/30/2028

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Alvey Lumber Door Components, LLC 401 West 370 South Monroe, UT 84754	Therma Tru OF White Proprietary Composite Door Frame Manufacture Specific Fire Door Frames for Single Swing Only Installation in 20 Minute Locations Single Door Maximum Size: 4'0" x 8'0" Minimum Thickness: 4-1/8"

SPECIFICATION	PRODUCT RATING
NFPA 252 (2017) UL 10B (2015) UL 10C (2016) CAN/ULC S104 (2015)	20 Minute-With Hose Stream Positive & Neutral Pressure Category C- Proprietary Frame
TEST REPORT	
Intertek Test Report No(s): 190307005SHF-002	

Administrator's Signature:

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com

NOPC 03/30/2024