NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI013354.02
DATE: 03/26/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Crystal Window
CODE: 1774-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Crystal Window and Door Systems Corp. **31-10 Whitestone Expressway** **Flushing, NY 11354**	**Series "8800"** **Aluminum Inswing Casement Window** Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-900mm(36") H-1524mm(60") Vent: W-832mm(32.75") H-1441mm(56.75") DLO: W-730mm(28.75") H-1391mm(54.75")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	**Class AW-PG100 900 x 1524 (36 x 60)-C** **Design Pressure: ±4800 Pa (±100 psf)** **Water Penetration Resistance Test Pressure: 580 Pa (12.00 psf)**

Product Tested By: Intertek, PLC
Report No: 112618-A
Expiration Date: **April 30, 2030**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com