NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016584.01**
DATE:	**04/30/2025**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**ABI Windows**
CODE:	**2942-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ABI Windows, LLC **718 Polaris Drive** **Abilene, Texas 79603**	**Series "580"** **Vinyl Twin Tilt Single Hung Window** Configuration: O/XO/X Glazing: Insulating Glass (Annealed) Frame: W-1816mm(71.50") H-1816mm(71.50") Sash: W-854mm(33.62") H-908mm(35.75") DLO: W-784mm(30.88") H-838mm(33")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22	**Class R-PG20 1816 x 1816 (72 x 72)-H** **Design Pressure: ±960 Pa (±20 psf)** **Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)**

Product Tested By: Construction Consulting Laboratory
Report No: CCL 25-051
Expiration Date: **December 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com