NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI016668
DATE: 06/04/2025
CERTIFICATION PROGRAM: Structural
COMPANY: United
CODE: 2779-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
United Window & Door Manufacturing **24-36 Fadem Road** **Springfield, New Jersey 07081**	**Series "4500"** **Vinyl Sliding Glass Door** **(w/Transom)** Configuration: O/XO Glazing: Insulated Glass (Panel - Tempered) (Transom - Annealed) Frame: W-1816mm(71.50") H-2464mm(97") Panel: W-921mm(36.25") H-1940mm(76.38") DLO: W-794mm(31.25") H-1816mm(71.50")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 **AAMA/WDMA/CSA 101/I.S.2/A440-17**	**Class R-PG50 1816 x 2464 (72 x 97)-SD** **Design Pressure: ±2400 Pa (±50 psf)** **Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)**

Product Tested By: Molimo, LLC
Report No: 30727.01-106-12
Expiration Date: **April 30, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com