NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016698**
DATE:	**06/19/2025**
CERTIFICATION PROGRAM:	**Fire**
COMPANY:	**JELD-WEN**
CODE:	**1822-1**
EXPIRATION DATE:	**06/30/2029**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN **3737 Lakeport Boulevard** **Klamath Falls, OR 97601**	**Series "Siteline"** **Fiberglass Side-Hinged Door** **(3-Panel Flat w/ or w/o Viewer or 6-Panel Raised)** Manufacture Specific Fire Doors for Single Swing Installation in 20-Minute Locations 1/2" Minimum Latch Throw Single Swing Only **Maximum Size: 35.75" x 79.25"** **Minimum Thickness: 1.75"**

SPECIFICATION	PRODUCT RATING
UL 10(c) (2021) **NFPA 252 (2017)** **CAN/ULC S104 (2015)**	**20 Minute-Positive Pressure** **With Hose Stream** **Category B- Additional Edge Sealing System Required**

TEST REPORT
Intertek Test Report No: 106112933MID-003

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com