NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI016701
DATE: 06/19/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Target
CODE: 1641-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Target Windows & Doors, Inc. **800 West State Street** **Vandalia, MO 63382**	**Series "642.295 PW-001"** **Vinyl Fixed Window** Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1219mm(48") H-1219mm(48") DLO: W-1106mm(43.56") H-1106mm(43.56")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-08** **CSA A440S1-09**	**Class R-PG60 1219 x 1219 (48 x 48)-FW** **Design Pressure: ±2880 Pa (±60 psf)** **Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf)** **Canadian Air Infiltration/Exfiltration Level: Fixed**

Product Tested By: Intertek, PLC.
Report No: P2584.01-501-47
Expiration Date: **September 30, 2026**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com