NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI016731.01
DATE: 07/23/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Wilson
CODE: 2916-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wilson Lumber Company **4818 Meridian Street, North** **Huntsville, AL 35811**	**JELD-WEN "Design Pro/Smooth Pro/Studio"** **Fiberglass Opaque In-Swing or Out-Swing** **Side-Hinged Doors w/Glazed Sidelites** Configuration: OXO Glazing: Insulating Glass (Tempered) IS Frame: W-2847mm(112.12") H-2487mm(97.93") OS Frame: W-2847mm(112.12") H-2470mm(97.25") Panel: W-908mm(35.75") H-2419mm(95.25") DLO: W-606mm(23.87") H-1995mm(78.56")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-02 **TAS 202-94** **AAMA 1304-02**	**Design Pressure: +45/-45 psf** **Qualifies Configurations: OX/XO/OXO**

Product Tested By: National Certified Testing Laboratories

Report No: NCTL-210-3918-02/NCTL-210-3925-03/SJW2013-196/SJW2013-137-TAS/SJW2013-241/SJW2013-242/SJW2013-208-TAS/SJW2013-209-TAS/SJW2013-251/SJW2013-252/SJW2013-253/NCTL-210-3930-01/NCTL-210-3930-02/SJW2014-066/SJW2014-076/SJW2014-070/W-1663/W-1700/W178/W-1799/W-1830/W-1861/W-1899/W-1904/W-1924/W-1943/W-1950/W-1991/W-2005/W-2023/W-2039

Expiration Date: **July 31, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124/Email: nami@namiinc.com