NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI016733.01
DATE: 07/23/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Wilson
CODE: 2916-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wilson Lumber Company **4818 Meridian Street, North** **Huntsville, AL 35811**	**JELD-WEN "Design Pro/Smooth Pro Impact Approved/Studio" Fiberglass Glazed In-Swing or Out-Swing Side-Hinged Doors** Configuration: XX Glazing: IG-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" Solutia PVB Interlayer/1/8"Annealed Glass IS Frame: W-1879mm(74.00") H-2487mm(97.93") OS Frame: W-1879mm(74.00") H-2470mm(97.25") Panel: W-908mm(35.75") H-2419mm(95.25") DLO: W-606mm(23.87") H-1995mm(78.56")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-02 **TAS 202-94** **ASTM E1886-05/E1996-06** **AAMA 1304-02**	**Design Pressure: +50/-50 psf** **Wind Zone 3 - Missile Level D** **Qualifies Configurations: XX**

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3918-01/NCTL-210-3924-02/SJW2013-234/SJW2013-235/SJW2013-251/SJW2013-252/SJW2013-253/NCTL-210-3924-01/ NCTL-210-3925-03/SJW2014-032/NCTL-210-3930-01/NCTL-210-3930-02/SJW2014-069/SJW2014-079/W-1669/W-1705/W-1783/W-1799/W-1861/W-1899/W-1904/W-1943/W-1991/W-2005/W-2023/W-2039
Expiration Date: **July 31, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com