# NOTICE OF PRODUCT CERTIFICATION

**CERTIFICATION NO:** NI016741.04
**DATE:** 12/09/2025
**CERTIFICATION PROGRAM:** Structural
**COMPANY:** Wilson
**CODE:** 2916-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| **Wilson Lumber Company**<br>**4818 Meridian Street, North**<br>**Huntsville, AL 35811** | **Series "Contour Steel Wood Edge Swinging Door"**<br>**Glazed Steel Inswing Side Hinged Door**<br>Configuration: X<br>Glazing: IG-Ext. 1/8" Annealed Glass/0.090" PVB Interlayer by Kuraray/1/8" Annealed Glass/1/8" Annealed Glass/Int. 1/8" Tempered Glass<br>Frame: W-953mm(37.50"") H-2078mm(81.75")<br>Panel: W-908mm(35.75") H-2013mm(79.25")<br>DLO: W-524mm(20.63") H-1591mm(62.63") |

| SPECIFICATION | PRODUCT RATING |
|---|---|
| **TAS 201-94**<br>**TAS 202-94**<br>**TAS 203-94** | **Design Pressure: +65/-70 psf**<br>**Water Penetration Resistance Test Pressure: 0 Pa (0.00 psf)**<br>**Large Missile Impact Rated** |

Product Tested By: Molimo, LLC
Report No: 29468.01-201-12
Expiration Date: **July 31, 2029**

Administrator's Signature:


**NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.**
**4794 George Washington Memorial Highway**
**Hayes, VA 23072**
**Tel: (804) 684-5124**
**Email: nami@namiinc.com**