

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016860-R1  
DATE: 12/03/2025  
CERTIFICATION PROGRAM: Fire  
COMPANY: Bjornstad  
CODE: 2975-1  
REVISION DATE: 12/11/2025  
EXPIRATION DATE: 12/31/2029

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Bjornstad Construction Company</b> <b>212 Northwest Sawyer Avenue, Suite A</b> <b>Meridian, ID 83714</b>	<b>Composite Technology International</b> <b>20-Minute Fire-Rated (Without Hose)</b> <b>Single or Double Swing Wood Door Frame</b>  Manufacture Specific Fire Door Frames for Single or Double Swing Installation in 20 Minute Locations  1/2" Minimum Latch Throw Single or Double Swing Only  <b>Single Maximum Size: 4'0" x 8'0"</b> <b>Double Maximum Size: 8'0" x 8'0"</b> <b>Minimum Thickness: 4-1/2"</b>

SPECIFICATION	PRODUCT RATING
<b>NFPA 252 (2008/2017)</b> <b>UL 10(c) (2009)</b>	<b>20 Minute-Positive Pressure</b> <b>Without Hose Stream</b>

TEST REPORT
<b>Intertek Test Report No: 100535906MID-004, 100535906MID-005</b> <b>Intertek Engineering Evaluation: 100535906MID-006</b>

Administrator's Signature:  \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023