

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016887
DATE: 01/20/2026
CERTIFICATION PROGRAM: Structural
COMPANY: Taixing Sainty
CODE: 3242-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Taixing Sainty Industry Company, Ltd. ST Aluminum Baogou Town Ind. Tengzhou City, Zaozhuang, Shandong, China 277000	Series "STOSW2" Aluminum Casement Window Configuration: X Glazing: IG-1/4" Tempered Glass/0.090" SGP Kuraray Interlayer/1/4" Tempered Glass/0.090" SGP Kuraray Interlayer/1/4" Tempered Glass Frame: W-940mm(37") H-1600mm(63") Vent: W-870mm(34.25") H-1530mm(60.25") DLO: W-684mm(26.94") H-1345mm(52.94")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +75/-75 psf Water Penetration Resistance Pressure: 540 Pa (11.25 psf) Large Missile Impact Rated

Product Tested By: Intertek, PLC
Report No: 250926005SHF-001
Expiration Date: November 30, 2029

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023