Notice of Product Certification

Company: Fene-Tech, Inc

Address: 264 Bd St Benoit E Amqui, QC, Canada G5J 2C5
Code: 1037-1
Certification No: 1037-006
Certification Date: May 12, 2026
Revision Date: N/A
Expiration Date: January 15, 2031

Product/Series Name: Battant PVC

Report Number: SPL25001-1_C_CSSV-a_A4
Operator Type: CSSV
Frame/Sash Type: VY / VY
Specification: CSA A440.2-22
Simulated By: Veridis Solutions
Air Leakage Report No: AI-06065-A1
Revision Notes: Added Options: 0004-0057

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada

National Accreditation & Management Institute, Inc,
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com

Administrator's Signature:

ER Values

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1037-006-0001-01	Overall Group Leader, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.98	0.23	0.39	0.1	32
1037-006-0002-01	GL, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.94	0.23	0.39	0.1	33
1037-006-0003-01	BF, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.92	0.23	0.39	0.1	33
1037-006-0004-01	3-3, 7_8, SB60#2-arg95-PCl, iu	0.035(#2)	1.45	0.26	0.48	0.1	23
1037-006-0005-01	3-3, 7_8, SB60#2-arg95-PCl, iu, Grids<1"	0.035(#2)	1.45	0.24	0.43	0.1	22
1037-006-0006-01	3-3, 7_8, SB60#2-arg95-PCl, iu, Grids>=1"	0.035(#2)	1.45	0.22	0.39	0.1	21
1037-006-0007-01	3-3-3, 1 1_4, SB60#2-arg95-PCl-arg95-PCl, iu	0.035(#2)	1.20	0.25	0.44	0.1	28
1037-006-0008-01	3-3-3, 1 1_4, SB60#2-arg95-PCl-arg95-PCl, iu, Grids<1"	0.035(#2)	1.25	0.22	0.40	0.1	25
1037-006-0009-01	3-3-3, 1 1_4, SB60#2-arg95-PCl-arg95-PCl, iu, Grids>=1"	0.035(#2)	1.24	0.20	0.36	0.1	24
1037-006-0010-01	3-3-3, 1 1_4, SB60#2-arg95-PCl-arg95-SB60#5, iu	0.035(#2) 0.035(#5)	0.99	0.23	0.39	0.1	31
1037-006-0011-01	3-3-3, 1 1_4, SB60#2-arg95-PCl-arg95-SB60#5, iu, Grids<1"	0.035(#2) 0.035(#5)	1.02	0.21	0.35	0.1	30
1037-006-0012-01	3-3-3, 1 1_4, SB60#2-arg95-PCl-arg95-SB60#5, iu, Grids>=1"	0.035(#2) 0.035(#5)	1.01	0.19	0.31	0.1	29
1037-006-0013-01	3-3, 7_8, PCl-arg95-SG400#3, iu	0.113(#3)	1.55	0.47	0.52	0.1	33
1037-006-0014-01	3-3, 7_8, PCl-arg95-SG400#3, iu, Grids<1"	0.113(#3)	1.55	0.43	0.47	0.1	31
1037-006-0015-01	3-3, 7_8, PCl-arg95-SG400#3, iu, Grids>=1"	0.113(#3)	1.55	0.39	0.42	0.1	28
1037-006-0016-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-SG400#5, iu	0.113(#5)	1.25	0.43	0.48	0.1	37
1037-006-0017-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-SG400#5, iu, Grids<1"	0.113(#5)	1.26	0.39	0.43	0.1	35
1037-006-0018-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-SG400#5, iu, Grids>=1"	0.113(#5)	1.26	0.35	0.39	0.1	32
1037-006-0019-01	3-3-3, 1 1_4, SG400#2-arg95-PCl-arg95-SG400#5, iu	0.113(#2) 0.113(#5)	1.07	0.37	0.46	0.1	38
1037-006-0020-01	3-3-3, 1 1_4, SG400#2-arg95-PCl-arg95-SG400#5, iu, Grids<1"	0.113(#2) 0.113(#5)	1.1	0.34	0.41	0.1	35
1037-006-0021-01	3-3-3, 1 1_4, SG400#2-arg95-PCl-arg95-SG400#5, iu, Grids>=1"	0.113(#2) 0.113(#5)	1.09	0.3	0.37	0.1	33
1037-006-0022-01	3-3, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.51	0.48	0.53	0.1	34
1037-006-0023-01	3-3, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.51	0.43	0.48	0.1	32

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1037-006-0024-01	3-3, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	1.51	0.39	0.43	0.1	29
1037-006-0025-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.23	0.43	0.48	0.1	38
1037-006-0026-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#5)	1.23	0.39	0.44	0.1	35
1037-006-0027-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#5)	1.23	0.36	0.39	0.1	34
1037-006-0028-01	3-3-3, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.04	0.39	0.47	0.1	40
1037-006-0029-01	3-3-3, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#2) 0.082(#5)	1.07	0.35	0.43	0.1	37
1037-006-0030-01	3-3-3, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#2) 0.082(#5)	1.06	0.32	0.38	0.1	35
1037-006-0031-01	3-3, 7_8, SB60#2-arg97-PCl, su	0.035(#2)	1.41	0.26	0.48	0.1	24
1037-006-0032-01	3-3, 7_8, SB60#2-arg97-PCl, su, Grids<1"	0.035(#2)	1.41	0.24	0.43	0.1	23
1037-006-0033-01	3-3, 7_8, SB60#2-arg97-PCl, su, Grids>=1"	0.035(#2)	1.41	0.22	0.39	0.1	22
1037-006-0034-01	3-3-3, 1 1_4, SB60#2-arg97-PCl-arg97-PCl, su	0.035(#2)	1.15	0.25	0.44	0.1	29
1037-006-0035-01	3-3-3, 1 1_4, SB60#2-arg97-PCl-arg97-PCl, su, Grids<1"	0.035(#2)	1.19	0.22	0.4	0.1	26
1037-006-0036-01	3-3-3, 1 1_4, SB60#2-arg97-PCl-arg97-PCl, su, Grids>=1"	0.035(#2)	1.19	0.2	0.36	0.1	25
1037-006-0037-01	3-3-3, 1 1_4, SB60#2-arg97-PCl-arg97-SB60#5, su	0.035(#2) 0.035(#5)	0.94	0.23	0.39	0.1	33
1037-006-0038-01	3-3-3, 1 1_4, SB60#2-arg97-PCl-arg97-SB60#5, su, Grids<1"	0.035(#2) 0.035(#5)	0.96	0.21	0.35	0.1	31
1037-006-0039-01	3-3-3, 1 1_4, SB60#2-arg97-PCl-arg97-SB60#5, su, Grids>=1"	0.035(#2) 0.035(#5)	0.96	0.19	0.31	0.1	30
1037-006-0040-01	3-3, 7_8, PCl-arg97-SG400#3, su	0.113(#3)	1.51	0.47	0.52	0.1	34
1037-006-0041-01	3-3, 7_8, PCl-arg97-SG400#3, su, Grids<1"	0.113(#3)	1.51	0.43	0.47	0.1	32
1037-006-0042-01	3-3, 7_8, PCl-arg97-SG400#3, su, Grids>=1"	0.113(#3)	1.51	0.39	0.42	0.1	29
1037-006-0043-01	3-3-3, 1 1_4, PCl-arg97-PCl-arg97-SG400#5, su	0.113(#5)	1.2	0.43	0.48	0.1	38
1037-006-0044-01	3-3-3, 1 1_4, PCl-arg97-PCl-arg97-SG400#5, su, Grids<1"	0.113(#5)	1.21	0.39	0.43	0.1	36
1037-006-0045-01	3-3-3, 1 1_4, PCl-arg97-PCl-arg97-SG400#5, su, Grids>=1"	0.113(#5)	1.2	0.35	0.39	0.1	34
1037-006-0046-01	3-3-3, 1 1_4, SG400#2-arg97-PCl-arg97-SG400#5, su	0.113(#2) 0.113(#5)	1.02	0.37	0.46	0.1	39
1037-006-0047-01	3-3-3, 1 1_4, SG400#2-arg97-PCl-arg97-SG400#5, su, Grids<1"	0.113(#2) 0.113(#5)	1.04	0.34	0.41	0.1	37
1037-006-0048-01	3-3-3, 1 1_4, SG400#2-arg97-PCl-arg97-SG400#5, su, Grids>=1"	0.113(#2) 0.113(#5)	1.04	0.3	0.37	0.1	34

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1037-006-0049-01	3-3, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.47	0.48	0.53	0.1	35
1037-006-0050-01	3-3, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.47	0.43	0.48	0.1	32
1037-006-0051-01	3-3, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	1.47	0.39	0.43	0.1	30
1037-006-0052-01	3-3-3, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su	0.082(#5)	1.17	0.43	0.48	0.1	39
1037-006-0053-01	3-3-3, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#5)	1.18	0.39	0.44	0.1	36
1037-006-0054-01	3-3-3, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#5)	1.18	0.36	0.39	0.1	35
1037-006-0055-01	3-3-3, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su	0.082(#2) 0.082(#5)	0.99	0.39	0.47	0.1	41
1037-006-0056-01	3-3-3, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.01	0.35	0.43	0.1	38
1037-006-0057-01	3-3-3, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.01	0.32	0.38	0.1	36