Notice of Product Certification

Company: REFLEC, Inc

Address: 8, rue du Cimetiere, Warwick, QC, Canada J0A 1M0
Code: 1877-1
Certification No: 1877-006
Certification Date: February 23, 2026
Revision Date: July 6, 2026
Expiration Date: December 2, 2030

Product/Series Name: Auvent Hybride 9100

Report Number: SPL25001-4_C_PRAW-b_A6
Operator Type: PRAW
Frame/Sash Type: AV / AV
Specification: CSA A440.2-22
Simulated By: Veridis Solutions
Air Leakage Report No: AI-05459-B1
Revision Notes: Added Options: 0136-0364

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada

National Accreditation & Management Institute, Inc,
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com

Administrator's Signature:

ER Values

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0001-01	Overall Group Leader, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	1.03	0.23	0.39	0.4	30
1877-006-0002-01	GL, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.99	0.23	0.39	0.4	31
1877-006-0003-01	BF, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.99	0.23	0.39	0.4	31
1877-006-0004-01	4-4, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.55	0.47	0.51	0.4	32
1877-006-0005-01	5-5, 7_8, GCl-arg95-PTLX#3, su	0.082(#3)	1.55	0.46	0.51	0.4	32
1877-006-0006-01	6-6, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.57	0.45	0.50	0.4	31
1877-006-0007-01	3-4, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.56	0.48	0.52	0.4	33
1877-006-0008-01	4-5, 7_8, GCl-arg95-PTLX#3, su	0.082(#3)	1.55	0.47	0.51	0.4	32
1877-006-0009-01	4-6, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.54	0.47	0.51	0.4	33
1877-006-0010-01	5-4, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.55	0.47	0.51	0.4	32
1877-006-0011-01	5-6, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.54	0.46	0.51	0.4	32
1877-006-0012-01	6-4, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.54	0.46	0.51	0.4	32
1877-006-0013-01	4-4-4, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su	0.081(#5)	1.31	0.42	0.47	0.4	35
1877-006-0014-01	5-5-5, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su	0.082(#5)	1.36	0.41	0.46	0.4	33
1877-006-0015-01	4-4-5, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su	0.082(#5)	1.31	0.42	0.47	0.4	35
1877-006-0016-01	4-4-6, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su	0.081(#5)	1.36	0.42	0.46	0.4	34
1877-006-0017-01	4-4-4, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su	0.081(#2) 0.081(#5)	1.13	0.38	0.45	0.4	36
1877-006-0018-01	5-5-5, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su	0.082(#2) 0.082(#5)	1.18	0.37	0.44	0.4	35
1877-006-0019-01	4-4-5, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su	0.081(#2) 0.082(#5)	1.13	0.38	0.45	0.4	36
1877-006-0020-01	4-4-6, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su	0.081(#2) 0.081(#5)	1.18	0.38	0.44	0.4	35
1877-006-0021-01	3-3, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.61	0.48	0.53	0.4	32
1877-006-0022-01	4-4, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.60	0.47	0.52	0.4	31
1877-006-0023-01	5-5, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.44	0.51	0.4	30
1877-006-0024-01	6-6, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.62	0.43	0.51	0.4	29
1877-006-0025-01	3-4, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.61	0.48	0.53	0.4	32

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0026-01	4-5, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.47	0.52	0.4	32
1877-006-0027-01	4-6, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.47	0.52	0.4	32
1877-006-0028-01	5-4, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.44	0.52	0.4	30
1877-006-0029-01	5-6, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.44	0.51	0.4	30
1877-006-0030-01	6-4, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.43	0.51	0.4	29
1877-006-0031-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.29	0.44	0.48	0.4	36
1877-006-0032-01	4-4-4, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.33	0.43	0.48	0.4	35
1877-006-0033-01	5-5-5, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.40	0.38	0.46	0.4	31
1877-006-0034-01	4-4-5, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.36	0.43	0.48	0.4	34
1877-006-0035-01	4-4-6, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.38	0.42	0.48	0.4	33
1877-006-0036-01	3-3-3, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.10	0.39	0.47	0.4	38
1877-006-0037-01	4-4-4, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.15	0.38	0.47	0.4	36
1877-006-0038-01	5-5-5, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.22	0.37	0.46	0.4	34
1877-006-0039-01	4-4-5, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.17	0.38	0.46	0.4	36
1877-006-0040-01	4-4-6, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.20	0.38	0.46	0.4	35
1877-006-0041-01	GL, 3-3, 7_8, GCl-arg95-PTLX#3, su	0.082(#3)	1.56	0.48	0.52	0.4	33
1877-006-0042-01	GL, 3-3, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.082(#3)	1.56	0.44	0.47	0.4	30
1877-006-0043-01	GL, 3-3, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.082(#3)	1.56	0.39	0.42	0.4	28
1877-006-0044-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su	0.082(#5)	1.24	0.43	0.48	0.4	37
1877-006-0045-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.082(#5)	1.23	0.39	0.43	0.4	35
1877-006-0046-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.082(#5)	1.23	0.35	0.38	0.4	32
1877-006-0047-01	GL, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su	0.082(#2) 0.082(#5)	1.05	0.39	0.46	0.4	39
1877-006-0048-01	GL, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.07	0.36	0.41	0.4	37
1877-006-0049-01	GL, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.06	0.32	0.37	0.4	34
1877-006-0050-01	GL, 3-3, 7_8, GCl-arg95-PTLX#3, ks	0.082(#3)	1.59	0.48	0.52	0.4	32
1877-006-0051-01	GL, 3-3, 7_8, GCl-arg95-PTLX#3, ks, Grids<1"	0.082(#3)	1.59	0.44	0.47	0.4	30

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0052-01	GL, 3-3, 7_8, GCl-arg95-PTLX#3, ks, Grids>=1"	0.082(#3)	1.59	0.39	0.42	0.4	27
1877-006-0053-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, ks	0.082(#5)	1.27	0.43	0.48	0.4	36
1877-006-0054-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, ks, Grids<1"	0.082(#5)	1.26	0.39	0.43	0.4	34
1877-006-0055-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, ks, Grids>=1"	0.082(#5)	1.26	0.35	0.38	0.4	32
1877-006-0056-01	GL, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, ks	0.082(#2) 0.082(#5)	1.08	0.39	0.46	0.4	38
1877-006-0057-01	GL, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, ks, Grids<1"	0.082(#2) 0.082(#5)	1.09	0.36	0.41	0.4	36
1877-006-0058-01	GL, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, ks, Grids>=1"	0.082(#2) 0.082(#5)	1.09	0.32	0.37	0.4	34
1877-006-0059-01	GL, 3-3, 7_8, GCl-arg95-8071#3, su	0.082(#3)	1.56	0.47	0.53	0.4	32
1877-006-0060-01	GL, 3-3, 7_8, GCl-arg95-8071#3, su, Grids<1"	0.082(#3)	1.56	0.43	0.47	0.4	30
1877-006-0061-01	GL, 3-3, 7_8, GCl-arg95-8071#3, su, Grids>=1"	0.082(#3)	1.56	0.39	0.43	0.4	28
1877-006-0062-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, su	0.082(#5)	1.24	0.42	0.48	0.4	36
1877-006-0063-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, su, Grids<1"	0.082(#5)	1.23	0.38	0.43	0.4	34
1877-006-0064-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, su, Grids>=1"	0.082(#5)	1.23	0.35	0.39	0.4	32
1877-006-0065-01	GL, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, su	0.082(#2) 0.082(#5)	1.05	0.39	0.47	0.4	39
1877-006-0066-01	GL, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.07	0.35	0.42	0.4	36
1877-006-0067-01	GL, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.06	0.32	0.38	0.4	34
1877-006-0068-01	GL, 3-3, 7_8, GCl-arg95-8071#3, ks	0.082(#3)	1.59	0.47	0.53	0.4	32
1877-006-0069-01	GL, 3-3, 7_8, GCl-arg95-8071#3, ks, Grids<1"	0.082(#3)	1.59	0.43	0.47	0.4	29
1877-006-0070-01	GL, 3-3, 7_8, GCl-arg95-8071#3, ks, Grids>=1"	0.082(#3)	1.59	0.39	0.43	0.4	27
1877-006-0071-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, ks	0.082(#5)	1.27	0.42	0.48	0.4	36
1877-006-0072-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, ks, Grids<1"	0.082(#5)	1.26	0.38	0.43	0.4	34
1877-006-0073-01	GL, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, ks, Grids>=1"	0.082(#5)	1.26	0.35	0.39	0.4	32
1877-006-0074-01	GL, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, ks	0.082(#2) 0.082(#5)	1.08	0.39	0.47	0.4	38
1877-006-0075-01	GL, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, ks, Grids<1"	0.082(#2) 0.082(#5)	1.09	0.35	0.42	0.4	36
1877-006-0076-01	GL, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, ks, Grids>=1"	0.082(#2) 0.082(#5)	1.09	0.32	0.38	0.4	34

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0077-01	GL, 3-3, 7_8, PLANICLR-arg95-PTLX#3, su	0.082(#3)	1.56	0.49	0.52	0.4	33
1877-006-0078-01	GL, 3-3, 7_8, PLANICLR-arg95-PTLX#3, su, Grids<1"	0.082(#3)	1.56	0.45	0.47	0.4	31
1877-006-0079-01	GL, 3-3, 7_8, PLANICLR-arg95-PTLX#3, su, Grids>=1"	0.082(#3)	1.56	0.4	0.42	0.4	28
1877-006-0080-01	GL, 3-3, 7_8, PLANICLR-arg95-PTLX#3, ks	0.082(#3)	1.59	0.49	0.52	0.4	33
1877-006-0081-01	GL, 3-3, 7_8, PLANICLR-arg95-PTLX#3, ks, Grids<1"	0.082(#3)	1.59	0.45	0.47	0.4	30
1877-006-0082-01	GL, 3-3, 7_8, PLANICLR-arg95-PTLX#3, ks, Grids>=1"	0.082(#3)	1.59	0.4	0.42	0.4	27
1877-006-0083-01	GL, 3-3, 7_8, PLANICLR-arg95-8071#3, su	0.082(#3)	1.56	0.48	0.53	0.4	33
1877-006-0084-01	GL, 3-3, 7_8, PLANICLR-arg95-8071#3, su, Grids<1"	0.082(#3)	1.56	0.44	0.48	0.4	30
1877-006-0085-01	GL, 3-3, 7_8, PLANICLR-arg95-8071#3, su, Grids>=1"	0.082(#3)	1.56	0.39	0.43	0.4	28
1877-006-0086-01	GL, 3-3, 7_8, PLANICLR-arg95-8071#3, ks	0.082(#3)	1.59	0.48	0.53	0.4	32
1877-006-0087-01	GL, 3-3, 7_8, PLANICLR-arg95-8071#3, ks, Grids<1"	0.082(#3)	1.59	0.44	0.48	0.4	30
1877-006-0088-01	GL, 3-3, 7_8, PLANICLR-arg95-8071#3, ks, Grids>=1"	0.082(#3)	1.59	0.39	0.43	0.4	27
1877-006-0089-01	BF, 3-3, 7_8, GCl-arg95-PTLX#3, su	0.082(#3)	1.56	0.48	0.52	0.4	33
1877-006-0090-01	BF, 3-3, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.082(#3)	1.56	0.44	0.47	0.4	30
1877-006-0091-01	BF, 3-3, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.082(#3)	1.56	0.39	0.42	0.4	28
1877-006-0092-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su	0.082(#5)	1.24	0.43	0.48	0.4	37
1877-006-0093-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.082(#5)	1.23	0.39	0.43	0.4	35
1877-006-0094-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.082(#5)	1.23	0.35	0.38	0.4	32
1877-006-0095-01	BF, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su	0.082(#2) 0.082(#5)	1.05	0.39	0.46	0.4	39
1877-006-0096-01	BF, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.07	0.36	0.41	0.4	37
1877-006-0097-01	BF, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.06	0.32	0.37	0.4	34
1877-006-0098-01	BF, 3-3, 7_8, GCl-arg95-PTLX#3, ks	0.082(#3)	1.59	0.48	0.52	0.4	32
1877-006-0099-01	BF, 3-3, 7_8, GCl-arg95-PTLX#3, ks, Grids<1"	0.082(#3)	1.59	0.44	0.47	0.4	30
1877-006-0100-01	BF, 3-3, 7_8, GCl-arg95-PTLX#3, ks, Grids>=1"	0.082(#3)	1.59	0.39	0.42	0.4	27
1877-006-0101-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, ks	0.082(#5)	1.27	0.43	0.48	0.4	36
1877-006-0102-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, ks, Grids<1"	0.082(#5)	1.26	0.39	0.43	0.4	34
1877-006-0103-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, ks, Grids>=1"	0.082(#5)	1.26	0.35	0.38	0.4	32
1877-006-0104-01	BF, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, ks	0.082(#2) 0.082(#5)	1.08	0.39	0.46	0.4	38

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0105-01	BF, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, ks, Grids<1"	0.082(#2) 0.082(#5)	1.09	0.36	0.41	0.4	36
1877-006-0106-01	BF, 3-3-3, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, ks, Grids>=1"	0.082(#2) 0.082(#5)	1.09	0.32	0.37	0.4	34
1877-006-0107-01	BF, 3-3, 7_8, GCl-arg95-8071#3, su	0.082(#3)	1.56	0.47	0.53	0.4	32
1877-006-0108-01	BF, 3-3, 7_8, GCl-arg95-8071#3, su, Grids<1"	0.082(#3)	1.56	0.43	0.47	0.4	30
1877-006-0109-01	BF, 3-3, 7_8, GCl-arg95-8071#3, su, Grids>=1"	0.082(#3)	1.56	0.39	0.43	0.4	28
1877-006-0110-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, su	0.082(#5)	1.24	0.42	0.48	0.4	36
1877-006-0111-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, su, Grids<1"	0.082(#5)	1.23	0.38	0.43	0.4	34
1877-006-0112-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, su, Grids>=1"	0.082(#5)	1.23	0.35	0.39	0.4	32
1877-006-0113-01	BF, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, su	0.082(#2) 0.082(#5)	1.05	0.39	0.47	0.4	39
1877-006-0114-01	BF, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.07	0.35	0.42	0.4	36
1877-006-0115-01	BF, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.06	0.32	0.38	0.4	34
1877-006-0116-01	BF, 3-3, 7_8, GCl-arg95-8071#3, ks	0.082(#3)	1.59	0.47	0.53	0.4	32
1877-006-0117-01	BF, 3-3, 7_8, GCl-arg95-8071#3, ks, Grids<1"	0.082(#3)	1.59	0.43	0.47	0.4	29
1877-006-0118-01	BF, 3-3, 7_8, GCl-arg95-8071#3, ks, Grids>=1"	0.082(#3)	1.59	0.39	0.43	0.4	27
1877-006-0119-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, ks	0.082(#5)	1.27	0.42	0.48	0.4	36
1877-006-0120-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, ks, Grids<1"	0.082(#5)	1.26	0.38	0.43	0.4	34
1877-006-0121-01	BF, 3-3-3, 1 1_4, GCl-arg95-GCl-arg95-8071#5, ks, Grids>=1"	0.082(#5)	1.26	0.35	0.39	0.4	32
1877-006-0122-01	BF, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, ks	0.082(#2) 0.082(#5)	1.08	0.39	0.47	0.4	38
1877-006-0123-01	BF, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, ks, Grids<1"	0.082(#2) 0.082(#5)	1.09	0.35	0.42	0.4	36
1877-006-0124-01	BF, 3-3-3, 1 1_4, 8071#2-arg95-GCl-arg95-8071#5, ks, Grids>=1"	0.082(#2) 0.082(#5)	1.09	0.32	0.38	0.4	34
1877-006-0125-01	BF, 3-3, 7_8, PLANICLR-arg95-PTLX#3, su	0.082(#3)	1.56	0.49	0.52	0.4	33
1877-006-0126-01	BF, 3-3, 7_8, PLANICLR-arg95-PTLX#3, su, Grids<1"	0.082(#3)	1.56	0.45	0.47	0.4	31
1877-006-0127-01	BF, 3-3, 7_8, PLANICLR-arg95-PTLX#3, su, Grids>=1"	0.082(#3)	1.56	0.4	0.42	0.4	28
1877-006-0128-01	BF, 3-3, 7_8, PLANICLR-arg95-PTLX#3, ks	0.082(#3)	1.59	0.49	0.52	0.4	33
1877-006-0129-01	BF, 3-3, 7_8, PLANICLR-arg95-PTLX#3, ks, Grids<1"	0.082(#3)	1.59	0.45	0.47	0.4	30
1877-006-0130-01	BF, 3-3, 7_8, PLANICLR-arg95-PTLX#3, ks, Grids>=1"	0.082(#3)	1.59	0.4	0.42	0.4	27

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0131-01	BF, 3-3, 7_8, PLANICLR-arg95-8071#3, su	0.082(#3)	1.56	0.48	0.53	0.4	33
1877-006-0132-01	BF, 3-3, 7_8, PLANICLR-arg95-8071#3, su, Grids<1"	0.082(#3)	1.56	0.44	0.48	0.4	30
1877-006-0133-01	BF, 3-3, 7_8, PLANICLR-arg95-8071#3, su, Grids>=1"	0.082(#3)	1.56	0.39	0.43	0.4	28
1877-006-0134-01	BF, 3-3, 7_8, PLANICLR-arg95-8071#3, ks	0.082(#3)	1.59	0.48	0.53	0.4	32
1877-006-0135-01	BF, 3-3, 7_8, PLANICLR-arg95-8071#3, ks, Grids<1"	0.082(#3)	1.59	0.44	0.48	0.4	30
1877-006-0136-01	BF, 3-3, 7_8, PLANICLR-arg95-8071#3, ks, Grids>=1"	0.082(#3)	1.59	0.39	0.43	0.4	27
1877-006-0137-01	4-4, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.55	0.47	0.51	0.4	32
1877-006-0138-01	4-4, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.081(#3)	1.55	0.43	0.46	0.4	30
1877-006-0139-01	4-4, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.081(#3)	1.55	0.39	0.42	0.4	28
1877-006-0140-01	4-4, 7_8, GCl-arg95-PTLX#3, su, SDL>=1"	0.081(#3)	1.55	0.39	0.42	0.4	28
1877-006-0141-01	5-5, 7_8, GCl-arg95-PTLX#3, su	0.082(#3)	1.55	0.46	0.51	0.4	32
1877-006-0142-01	5-5, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.082(#3)	1.59	0.42	0.46	0.4	29
1877-006-0143-01	5-5, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.082(#3)	1.55	0.38	0.41	0.4	27
1877-006-0144-01	5-5, 7_8, GCl-arg95-PTLX#3, su, SDL>=1"	0.082(#3)	1.55	0.38	0.41	0.4	27
1877-006-0145-01	6-6, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.57	0.45	0.50	0.4	31
1877-006-0146-01	6-6, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.081(#3)	1.65	0.41	0.45	0.4	27
1877-006-0147-01	6-6, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.081(#3)	1.62	0.37	0.41	0.4	25
1877-006-0148-01	6-6, 7_8, GCl-arg95-PTLX#3, su, SDL>=1"	0.081(#3)	1.57	0.37	0.41	0.4	26
1877-006-0149-01	3-4, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.56	0.48	0.52	0.4	33
1877-006-0150-01	3-4, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.081(#3)	1.56	0.44	0.47	0.4	30
1877-006-0151-01	3-4, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.081(#3)	1.56	0.39	0.42	0.4	28
1877-006-0152-01	3-4, 7_8, GCl-arg95-PTLX#3, su, SDL>=1"	0.081(#3)	1.56	0.39	0.42	0.4	28
1877-006-0153-01	4-5, 7_8, GCl-arg95-PTLX#3, su	0.082(#3)	1.55	0.47	0.51	0.4	32
1877-006-0154-01	4-5, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.082(#3)	1.58	0.43	0.46	0.4	29
1877-006-0155-01	4-5, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.082(#3)	1.55	0.39	0.41	0.4	28
1877-006-0156-01	4-5, 7_8, GCl-arg95-PTLX#3, su, SDL>=1"	0.082(#3)	1.55	0.39	0.41	0.4	28
1877-006-0157-01	4-6, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.54	0.47	0.51	0.4	33
1877-006-0158-01	4-6, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.081(#3)	1.59	0.43	0.46	0.4	29
1877-006-0159-01	4-6, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.081(#3)	1.54	0.38	0.41	0.4	27
1877-006-0160-01	4-6, 7_8, GCl-arg95-PTLX#3, su, SDL>=1"	0.081(#3)	1.54	0.38	0.41	0.4	27
1877-006-0161-01	5-4, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.55	0.47	0.51	0.4	32
1877-006-0162-01	5-4, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.081(#3)	1.58	0.42	0.46	0.4	29

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0163-01	5-4, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.081(#3)	1.55	0.38	0.42	0.4	27
1877-006-0164-01	5-4, 7_8, GCl-arg95-PTLX#3, su, SDL>=1"	0.081(#3)	1.55	0.38	0.42	0.4	27
1877-006-0165-01	5-6, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.54	0.46	0.51	0.4	32
1877-006-0166-01	5-6, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.081(#3)	1.60	0.42	0.46	0.4	28
1877-006-0167-01	5-6, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.081(#3)	1.59	0.38	0.41	0.4	26
1877-006-0168-01	5-6, 7_8, GCl-arg95-PTLX#3, su, SDL>=1"	0.081(#3)	1.54	0.38	0.41	0.4	27
1877-006-0169-01	6-4, 7_8, GCl-arg95-PTLX#3, su	0.081(#3)	1.54	0.46	0.51	0.4	32
1877-006-0170-01	6-4, 7_8, GCl-arg95-PTLX#3, su, Grids<1"	0.081(#3)	1.59	0.41	0.46	0.4	28
1877-006-0171-01	6-4, 7_8, GCl-arg95-PTLX#3, su, Grids>=1"	0.081(#3)	1.54	0.37	0.41	0.4	27
1877-006-0172-01	6-4, 7_8, GCl-arg95-PTLX#3, su, SDL>=1"	0.081(#3)	1.54	0.37	0.41	0.4	27
1877-006-0173-01	4-4-4, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su	0.081(#5)	1.31	0.42	0.47	0.4	35
1877-006-0174-01	4-4-4, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.081(#5)	1.31	0.38	0.42	0.4	32
1877-006-0175-01	4-4-4, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.081(#5)	1.31	0.35	0.38	0.4	31
1877-006-0176-01	4-4-4, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, SDL>=1"	0.081(#5)	1.31	0.35	0.38	0.4	31
1877-006-0177-01	5-5-5, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su	0.082(#5)	1.36	0.41	0.46	0.4	33
1877-006-0178-01	5-5-5, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.082(#5)	1.37	0.37	0.42	0.4	31
1877-006-0179-01	5-5-5, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.082(#5)	1.36	0.34	0.37	0.4	29
1877-006-0180-01	5-5-5, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, SDL>=1"	0.082(#5)	1.36	0.34	0.37	0.4	29
1877-006-0181-01	4-4-5, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su	0.082(#5)	1.31	0.42	0.47	0.4	35
1877-006-0182-01	4-4-5, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.082(#5)	1.31	0.38	0.42	0.4	32
1877-006-0183-01	4-4-5, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.082(#5)	1.30	0.34	0.38	0.4	30
1877-006-0184-01	4-4-5, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, SDL>=1"	0.082(#5)	1.31	0.34	0.38	0.4	30
1877-006-0185-01	4-4-6, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su	0.081(#5)	1.36	0.42	0.46	0.4	34
1877-006-0186-01	4-4-6, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.081(#5)	1.37	0.38	0.42	0.4	31
1877-006-0187-01	4-4-6, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.081(#5)	1.36	0.34	0.37	0.4	29
1877-006-0188-01	4-4-6, 1 1_4, GCl-arg95-GCl-arg95-PTLX#5, su, SDL>=1"	0.081(#5)	1.36	0.34	0.37	0.4	29
1877-006-0189-01	4-4-4, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su	0.081(#2) 0.081(#5)	1.13	0.38	0.45	0.4	36
1877-006-0190-01	4-4-4, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.081(#2) 0.081(#5)	1.15	0.35	0.41	0.4	34
1877-006-0191-01	4-4-4, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.081(#2) 0.081(#5)	1.14	0.31	0.36	0.4	32

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0192-01	4-4-4, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, SDL>=1"	0.081(#2) 0.081(#5)	1.13	0.31	0.36	0.4	32
1877-006-0193-01	5-5-5, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su	0.082(#2) 0.082(#5)	1.18	0.37	0.44	0.4	35
1877-006-0194-01	5-5-5, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.22	0.34	0.40	0.4	32
1877-006-0195-01	5-5-5, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.20	0.30	0.36	0.4	30
1877-006-0196-01	5-5-5, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, SDL>=1"	0.082(#2) 0.082(#5)	1.18	0.30	0.36	0.4	31
1877-006-0197-01	4-4-5, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su	0.081(#2) 0.082(#5)	1.13	0.38	0.45	0.4	36
1877-006-0198-01	4-4-5, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.081(#2) 0.082(#5)	1.15	0.35	0.40	0.4	34
1877-006-0199-01	4-4-5, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.081(#2) 0.082(#5)	1.14	0.31	0.36	0.4	32
1877-006-0200-01	4-4-5, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, SDL>=1"	0.081(#2) 0.082(#5)	1.13	0.31	0.36	0.4	32
1877-006-0201-01	4-4-6, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su	0.081(#2) 0.081(#5)	1.18	0.38	0.44	0.4	35
1877-006-0202-01	4-4-6, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids<1"	0.081(#2) 0.081(#5)	1.22	0.35	0.40	0.4	33
1877-006-0203-01	4-4-6, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, Grids>=1"	0.081(#2) 0.081(#5)	1.20	0.31	0.36	0.4	31
1877-006-0204-01	4-4-6, 1 1_4, PTLX#2-arg95-GCl-arg95-PTLX#5, su, SDL>=1"	0.081(#2) 0.081(#5)	1.18	0.31	0.36	0.4	31
1877-006-0205-01	3-3, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.61	0.48	0.53	0.4	32
1877-006-0206-01	3-3, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.61	0.43	0.48	0.4	29
1877-006-0207-01	3-3, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	1.61	0.39	0.43	0.4	26
1877-006-0208-01	3-3, 7_8, PCl-arg95-8071#3, iu, SDL>=1"	0.082(#3)	1.61	0.39	0.43	0.4	26
1877-006-0209-01	4-4, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.60	0.47	0.52	0.4	31
1877-006-0210-01	4-4, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.63	0.43	0.47	0.4	28
1877-006-0211-01	4-4, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	1.74	0.39	0.42	0.4	24
1877-006-0212-01	4-4, 7_8, PCl-arg95-8071#3, iu, SDL>=1"	0.082(#3)	1.60	0.39	0.42	0.4	27
1877-006-0213-01	5-5, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.44	0.51	0.4	30

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0214-01	5-5, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.64	0.40	0.46	0.4	26
1877-006-0215-01	5-5, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	1.85	0.36	0.42	0.4	19
1877-006-0216-01	5-5, 7_8, PCl-arg95-8071#3, iu, SDL>=1"	0.082(#3)	1.59	0.36	0.42	0.4	25
1877-006-0217-01	6-6, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.62	0.43	0.51	0.4	29
1877-006-0218-01	6-6, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.72	0.39	0.46	0.4	24
1877-006-0219-01	6-6, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	2.28	0.35	0.41	0.4	9
1877-006-0220-01	6-6, 7_8, PCl-arg95-8071#3, iu, SDL>=1"	0.082(#3)	1.62	0.35	0.41	0.4	24
1877-006-0221-01	3-4, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.61	0.48	0.53	0.4	32
1877-006-0222-01	3-4, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.61	0.43	0.48	0.4	29
1877-006-0223-01	3-4, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	1.70	0.39	0.43	0.4	25
1877-006-0224-01	3-4, 7_8, PCl-arg95-8071#3, iu, SDL>=1"	0.082(#3)	1.61	0.39	0.43	0.4	26
1877-006-0225-01	4-5, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.47	0.52	0.4	32
1877-006-0226-01	4-5, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.63	0.43	0.47	0.4	28
1877-006-0227-01	4-5, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	1.78	0.39	0.42	0.4	23
1877-006-0228-01	4-5, 7_8, PCl-arg95-8071#3, iu, SDL>=1"	0.082(#3)	1.59	0.39	0.42	0.4	27
1877-006-0229-01	4-6, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.47	0.52	0.4	32
1877-006-0230-01	4-6, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.64	0.43	0.47	0.4	28
1877-006-0231-01	4-6, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	1.84	0.38	0.42	0.4	21
1877-006-0232-01	4-6, 7_8, PCl-arg95-8071#3, iu, SDL>=1"	0.082(#3)	1.59	0.38	0.42	0.4	26
1877-006-0233-01	5-4, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.44	0.52	0.4	30
1877-006-0234-01	5-4, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.63	0.40	0.47	0.4	27
1877-006-0235-01	5-4, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	1.78	0.36	0.42	0.4	21
1877-006-0236-01	5-4, 7_8, PCl-arg95-8071#3, iu, SDL>=1"	0.082(#3)	1.59	0.36	0.42	0.4	25
1877-006-0237-01	5-6, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.44	0.51	0.4	30
1877-006-0238-01	5-6, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.66	0.40	0.46	0.4	26
1877-006-0239-01	5-6, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	1.97	0.36	0.41	0.4	17
1877-006-0240-01	5-6, 7_8, PCl-arg95-8071#3, iu, SDL>=1"	0.082(#3)	1.59	0.36	0.41	0.4	25
1877-006-0241-01	6-4, 7_8, PCl-arg95-8071#3, iu	0.082(#3)	1.59	0.43	0.51	0.4	29
1877-006-0242-01	6-4, 7_8, PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.64	0.39	0.46	0.4	26
1877-006-0243-01	6-4, 7_8, PCl-arg95-8071#3, iu, Grids>=1"	0.082(#3)	1.85	0.35	0.41	0.4	19
1877-006-0244-01	6-4, 7_8, PCl-arg95-8071#3, iu, SDL>=1"	0.082(#3)	1.59	0.35	0.41	0.4	25
1877-006-0245-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.29	0.44	0.48	0.4	36

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0246-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#5)	1.28	0.40	0.44	0.4	34
1877-006-0247-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#5)	1.30	0.36	0.39	0.4	32
1877-006-0248-01	3-3-3, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, SDL>=1"	0.082(#5)	1.29	0.36	0.39	0.4	32
1877-006-0249-01	4-4-4, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.33	0.43	0.48	0.4	35
1877-006-0250-01	4-4-4, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#5)	1.34	0.39	0.43	0.4	32
1877-006-0251-01	4-4-4, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#5)	1.33	0.35	0.39	0.4	30
1877-006-0252-01	4-4-4, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, SDL>=1"	0.082(#5)	1.33	0.35	0.39	0.4	30
1877-006-0253-01	5-5-5, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.40	0.38	0.46	0.4	31
1877-006-0254-01	5-5-5, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#5)	1.40	0.35	0.42	0.4	29
1877-006-0255-01	5-5-5, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#5)	1.40	0.31	0.37	0.4	26
1877-006-0256-01	5-5-5, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, SDL>=1"	0.082(#5)	1.40	0.31	0.37	0.4	26
1877-006-0257-01	4-4-5, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.36	0.43	0.48	0.4	34
1877-006-0258-01	4-4-5, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#5)	1.36	0.39	0.43	0.4	32
1877-006-0259-01	4-4-5, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#5)	1.36	0.35	0.39	0.4	30
1877-006-0260-01	4-4-5, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, SDL>=1"	0.082(#5)	1.36	0.35	0.39	0.4	30
1877-006-0261-01	4-4-6, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu	0.082(#5)	1.38	0.42	0.48	0.4	33
1877-006-0262-01	4-4-6, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#5)	1.39	0.39	0.43	0.4	31
1877-006-0263-01	4-4-6, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#5)	1.38	0.35	0.39	0.4	29
1877-006-0264-01	4-4-6, 1 1_4, PCl-arg95-PCl-arg95-8071#5, iu, SDL>=1"	0.082(#5)	1.38	0.35	0.39	0.4	29
1877-006-0265-01	3-3-3, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.10	0.39	0.47	0.4	38
1877-006-0266-01	3-3-3, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#2) 0.082(#5)	1.12	0.35	0.43	0.4	35
1877-006-0267-01	3-3-3, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#2) 0.082(#5)	1.16	0.32	0.38	0.4	32
1877-006-0268-01	3-3-3, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, SDL>=1"	0.082(#2) 0.082(#5)	1.10	0.32	0.38	0.4	34
1877-006-0269-01	4-4-4, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.15	0.38	0.47	0.4	36
1877-006-0270-01	4-4-4, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#2) 0.082(#5)	1.18	0.35	0.42	0.4	34
1877-006-0271-01	4-4-4, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#2) 0.082(#5)	1.15	0.31	0.38	0.4	32

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0272-01	4-4-4, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, SDL>=1"	0.082(#2) 0.082(#5)	1.15	0.31	0.38	0.4	32
1877-006-0273-01	5-5-5, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.22	0.37	0.46	0.4	34
1877-006-0274-01	5-5-5, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#2) 0.082(#5)	1.22	0.33	0.41	0.4	32
1877-006-0275-01	5-5-5, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#2) 0.082(#5)	1.22	0.30	0.37	0.4	30
1877-006-0276-01	5-5-5, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, SDL>=1"	0.082(#2) 0.082(#5)	1.22	0.30	0.37	0.4	30
1877-006-0277-01	4-4-5, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.17	0.38	0.46	0.4	36
1877-006-0278-01	4-4-5, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#2) 0.082(#5)	1.21	0.35	0.42	0.4	33
1877-006-0279-01	4-4-5, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#2) 0.082(#5)	1.17	0.31	0.38	0.4	31
1877-006-0280-01	4-4-5, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, SDL>=1"	0.082(#2) 0.082(#5)	1.17	0.31	0.38	0.4	31
1877-006-0281-01	4-4-6, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.20	0.38	0.46	0.4	35
1877-006-0282-01	4-4-6, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids<1"	0.082(#2) 0.082(#5)	1.24	0.35	0.42	0.4	32
1877-006-0283-01	4-4-6, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, Grids>=1"	0.082(#2) 0.082(#5)	1.20	0.31	0.37	0.4	31
1877-006-0284-01	4-4-6, 1 1_4, 8071#2-arg95-PCl-arg95-8071#5, iu, SDL>=1"	0.082(#2) 0.082(#5)	1.20	0.31	0.37	0.4	31
1877-006-0285-01	3-3, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.55	0.48	0.53	0.4	33
1877-006-0286-01	3-3, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.55	0.43	0.48	0.4	30
1877-006-0287-01	3-3, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	1.55	0.39	0.43	0.4	28
1877-006-0288-01	3-3, 7_8, PCl-arg97-8071#3, su, SDL>=1"	0.082(#3)	1.55	0.39	0.43	0.4	28
1877-006-0289-01	4-4, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.54	0.47	0.52	0.4	33
1877-006-0290-01	4-4, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.57	0.43	0.47	0.4	30
1877-006-0291-01	4-4, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	1.68	0.39	0.42	0.4	25
1877-006-0292-01	4-4, 7_8, PCl-arg97-8071#3, su, SDL>=1"	0.082(#3)	1.54	0.39	0.42	0.4	28
1877-006-0293-01	5-5, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.53	0.44	0.51	0.4	31

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0294-01	5-5, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.59	0.40	0.46	0.4	27
1877-006-0295-01	5-5, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	1.80	0.36	0.42	0.4	21
1877-006-0296-01	5-5, 7_8, PCl-arg97-8071#3, su, SDL>=1"	0.082(#3)	1.53	0.36	0.42	0.4	26
1877-006-0297-01	6-6, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.56	0.43	0.51	0.4	30
1877-006-0298-01	6-6, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.67	0.39	0.46	0.4	25
1877-006-0299-01	6-6, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	2.23	0.35	0.41	0.4	11
1877-006-0300-01	6-6, 7_8, PCl-arg97-8071#3, su, SDL>=1"	0.082(#3)	1.56	0.35	0.41	0.4	25
1877-006-0301-01	3-4, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.55	0.48	0.53	0.4	33
1877-006-0302-01	3-4, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.55	0.43	0.48	0.4	30
1877-006-0303-01	3-4, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	1.65	0.39	0.43	0.4	26
1877-006-0304-01	3-4, 7_8, PCl-arg97-8071#3, su, SDL>=1"	0.082(#3)	1.55	0.39	0.43	0.4	28
1877-006-0305-01	4-5, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.54	0.47	0.52	0.4	33
1877-006-0306-01	4-5, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.58	0.43	0.47	0.4	29
1877-006-0307-01	4-5, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	1.72	0.39	0.42	0.4	24
1877-006-0308-01	4-5, 7_8, PCl-arg97-8071#3, su, SDL>=1"	0.082(#3)	1.54	0.39	0.42	0.4	28
1877-006-0309-01	4-6, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.53	0.47	0.52	0.4	33
1877-006-0310-01	4-6, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.58	0.43	0.47	0.4	29
1877-006-0311-01	4-6, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	1.79	0.38	0.42	0.4	22
1877-006-0312-01	4-6, 7_8, PCl-arg97-8071#3, su, SDL>=1"	0.082(#3)	1.53	0.38	0.42	0.4	28
1877-006-0313-01	5-4, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.54	0.44	0.52	0.4	31
1877-006-0314-01	5-4, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.58	0.40	0.47	0.4	28
1877-006-0315-01	5-4, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	1.73	0.36	0.42	0.4	22
1877-006-0316-01	5-4, 7_8, PCl-arg97-8071#3, su, SDL>=1"	0.082(#3)	1.54	0.36	0.42	0.4	26
1877-006-0317-01	5-6, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.54	0.44	0.51	0.4	31
1877-006-0318-01	5-6, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.61	0.40	0.46	0.4	27
1877-006-0319-01	5-6, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	1.92	0.36	0.41	0.4	18
1877-006-0320-01	5-6, 7_8, PCl-arg97-8071#3, su, SDL>=1"	0.082(#3)	1.54	0.36	0.41	0.4	26
1877-006-0321-01	6-4, 7_8, PCl-arg97-8071#3, su	0.082(#3)	1.53	0.43	0.51	0.4	31
1877-006-0322-01	6-4, 7_8, PCl-arg97-8071#3, su, Grids<1"	0.082(#3)	1.59	0.39	0.46	0.4	27
1877-006-0323-01	6-4, 7_8, PCl-arg97-8071#3, su, Grids>=1"	0.082(#3)	1.80	0.35	0.41	0.4	20
1877-006-0324-01	6-4, 7_8, PCl-arg97-8071#3, su, SDL>=1"	0.082(#3)	1.53	0.35	0.41	0.4	26
1877-006-0325-01	3-3-3, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su	0.082(#5)	1.23	0.44	0.48	0.4	38

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0326-01	3-3-3, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#5)	1.23	0.40	0.44	0.4	35
1877-006-0327-01	3-3-3, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#5)	1.25	0.36	0.39	0.4	33
1877-006-0328-01	3-3-3, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, SDL>=1"	0.082(#5)	1.23	0.36	0.39	0.4	33
1877-006-0329-01	4-4-4, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su	0.082(#5)	1.29	0.43	0.48	0.4	36
1877-006-0330-01	4-4-4, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#5)	1.30	0.39	0.43	0.4	33
1877-006-0331-01	4-4-4, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#5)	1.29	0.35	0.39	0.4	31
1877-006-0332-01	4-4-4, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, SDL>=1"	0.082(#5)	1.29	0.35	0.39	0.4	31
1877-006-0333-01	5-5-5, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su	0.082(#5)	1.35	0.38	0.46	0.4	32
1877-006-0334-01	5-5-5, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#5)	1.35	0.35	0.42	0.4	30
1877-006-0335-01	5-5-5, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#5)	1.35	0.31	0.37	0.4	28
1877-006-0336-01	5-5-5, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, SDL>=1"	0.082(#5)	1.35	0.31	0.37	0.4	28
1877-006-0337-01	4-4-5, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su	0.082(#5)	1.30	0.43	0.48	0.4	36
1877-006-0338-01	4-4-5, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#5)	1.31	0.39	0.43	0.4	33
1877-006-0339-01	4-4-5, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#5)	1.30	0.35	0.39	0.4	31
1877-006-0340-01	4-4-5, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, SDL>=1"	0.082(#5)	1.30	0.35	0.39	0.4	31
1877-006-0341-01	4-4-6, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su	0.082(#5)	1.34	0.42	0.48	0.4	34
1877-006-0342-01	4-4-6, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#5)	1.36	0.39	0.43	0.4	32
1877-006-0343-01	4-4-6, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#5)	1.34	0.35	0.39	0.4	30
1877-006-0344-01	4-4-6, 1 1_4, PCl-arg97-PCl-arg97-8071#5, su, SDL>=1"	0.082(#5)	1.34	0.35	0.39	0.4	30
1877-006-0345-01	3-3-3, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su	0.082(#2) 0.082(#5)	1.05	0.39	0.47	0.4	39
1877-006-0346-01	3-3-3, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.06	0.35	0.43	0.4	36
1877-006-0347-01	3-3-3, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.11	0.32	0.38	0.4	33
1877-006-0348-01	3-3-3, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, SDL>=1"	0.082(#2) 0.082(#5)	1.05	0.32	0.38	0.4	35
1877-006-0349-01	4-4-4, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su	0.082(#2) 0.082(#5)	1.11	0.38	0.47	0.4	37
1877-006-0350-01	4-4-4, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.14	0.35	0.42	0.4	34
1877-006-0351-01	4-4-4, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.11	0.31	0.38	0.4	33

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1877-006-0352-01	4-4-4, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, SDL>=1"	0.082(#2) 0.082(#5)	1.11	0.31	0.38	0.4	33
1877-006-0353-01	5-5-5, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su	0.082(#2) 0.082(#5)	1.17	0.37	0.46	0.4	35
1877-006-0354-01	5-5-5, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.17	0.33	0.41	0.4	33
1877-006-0355-01	5-5-5, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.17	0.30	0.37	0.4	31
1877-006-0356-01	5-5-5, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, SDL>=1"	0.082(#2) 0.082(#5)	1.17	0.30	0.37	0.4	31
1877-006-0357-01	4-4-5, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su	0.082(#2) 0.082(#5)	1.12	0.38	0.46	0.4	37
1877-006-0358-01	4-4-5, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.15	0.35	0.42	0.4	34
1877-006-0359-01	4-4-5, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.12	0.31	0.38	0.4	33
1877-006-0360-01	4-4-5, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, SDL>=1"	0.082(#2) 0.082(#5)	1.12	0.31	0.38	0.4	33
1877-006-0361-01	4-4-6, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su	0.082(#2) 0.082(#5)	1.16	0.38	0.46	0.4	36
1877-006-0362-01	4-4-6, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.21	0.35	0.42	0.4	33
1877-006-0363-01	4-4-6, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, Grids>=1"	0.082(#2) 0.082(#5)	1.16	0.31	0.37	0.4	32
1877-006-0364-01	4-4-6, 1 1_4, 8071#2-arg97-PCl-arg97-8071#5, su, SDL>=1"	0.082(#2) 0.082(#5)	1.16	0.31	0.37	0.4	32