Notice of Product Certification

Company: Les Chassis Nigadoo

Address: 356 du Moulin Street Nigadoo, NB, Canada E8K 3W1
Code: 1179-1
Certification No: 1179-002
Certification Date: April 15, 2026
Revision Date: N/A
Expiration Date: December 1, 2030

Product/Series Name: Battant PVC

Report Number: SPL25001-7_C_CSSV-a_A1
Operator Type: CSSV
Frame/Sash Type: VY / VY
Specification: CSA A440.2-22
Simulated By: Veridis Solutions
Air Leakage Report No: AI-06065-A1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

Administrator's Signature: _____

National Accreditation & Management Institute, Inc,
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com

ER Values

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1179-002-0001-01	Overall Group Leader, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.98	0.23	0.39	0.1	32
1179-002-0002-01	GL, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.94	0.23	0.39	0.1	33
1179-002-0003-01	BF, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.92	0.23	0.39	0.1	33
1179-002-0004-01	3-3, 7-8, GCl-arg95-8071#3, ss	0.082(#3)	1.49	0.47	0.53	0.1	34
1179-002-0005-01	3-3, 7-8, GCl-arg95-8071#3, ss, Grids<1"	0.082(#3)	1.49	0.43	0.47	0.1	32
1179-002-0006-01	3-3, 7-8, GUCl-arg95-8071#3, ss	0.082(#3)	1.49	0.49	0.53	0.1	35
1179-002-0007-01	3-3, 7-8, GUCl-arg95-8071#3, ss, Grids<1"	0.082(#3)	1.49	0.45	0.48	0.1	33
1179-002-0008-01	3-3-3, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss	0.082(#5)	1.20	0.42	0.48	0.1	38
1179-002-0009-01	3-3-3, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids<1"	0.082(#5)	1.20	0.38	0.43	0.1	35
1179-002-0010-01	3-3-3, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss	0.082(#2) 0.082(#5)	1.01	0.39	0.47	0.1	40
1179-002-0011-01	3-3-3, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids<1"	0.082(#2) 0.082(#5)	1.03	0.35	0.42	0.1	37