Notice of Product Certification

Company: Portes & Fenetres Fusion

Address: 752-1 Rue Hebert, Desbiens, QC, Canada G0W 1N0
Code: 2552-1
Certification No: 2552-009
Certification Date: June 23, 2026
Revision Date: N/A
Expiration Date: November 11, 2027

Product/Series Name: Grand Fixe PVC

Report Number: SPL21004-6_C_LFIXD-P_A1
Operator Type: FIXD
Frame/Sash Type: VY / NA
Specification: CSA A440.2-22
Simulated By: Veridis Solutions
Air Leakage Report No: AI-03741-B1 Rev.3
Revision Notes: N/A

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada

Administrator's Signature: _____

National Accreditation & Management Institute, Inc,
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com

ER Values

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
2552-009-0001-01	9702XIB_3mm_1 1_4_8071#2-arg90-PCl-arg90-8071#5, sw	0.082(#2) 0.082(#5)	1.02	0.46	0.56	0.0	44
2552-009-0002-01	GL_3mm_1 1_4_8071#2-arg90-PCl-arg90-8071#5, sw	0.082(#2) 0.082(#5)	0.97	0.46	0.56	0.0	45
2552-009-0003-01	BF_3mm_1 1_4_8071#2-arg90-PCl-arg90-8071#5, sw	0.082(#2) 0.082(#5)	0.97	0.46	0.56	0.0	45
2552-009-0004-01	TFX_3-3, 7-8, SDCl-arg95-PTLX#3, su	0.082(#3)	1.55	0.59	0.62	0.0	40
2552-009-0005-01	TFX_3-3, 7-8, SDCl-arg95-PTLX#3, su, Grids<1"	0.082(#3)	1.55	0.53	0.55	0.0	37
2552-009-0006-01	TFX_3-3-3, 1 1-4, PTLX#2-arg95-PLUX-arg95-PTLX#5, su	0.082(#2) 0.082(#5)	0.97	0.47	0.55	0.0	46
2552-009-0007-01	TFX_3-3-3, 1 1-4, PTLX#2-arg95-PLUX-arg95-PTLX#5, su, Grids<1"	0.082(#2) 0.082(#5)	1.00	0.42	0.49	0.0	42
2552-009-0008-01	MTV_3-3, 7-8, PCl-arg97-PTLX#3, ss	0.082(#3)	1.52	0.58	0.62	0.0	40
2552-009-0009-01	MTV_3-3, 7-8, PCl-arg97-PTLX#3, ss, Grids<1"	0.082(#3)	1.52	0.52	0.55	0.0	37
2552-009-0010-01	MTV_3-3, 7-8, SDCl-arg97-PTLX#3, ss	0.082(#3)	1.52	0.59	0.62	0.0	41
2552-009-0011-01	MTV_3-3, 7-8, SDCl-arg97-PTLX#3, ss, Grids<1"	0.082(#3)	1.52	0.53	0.55	0.0	37
2552-009-0012-01	MTV_3-3, 7-8, PCl-arg97-PTLX#3, ms	0.082(#3)	1.55	0.58	0.62	0.0	40
2552-009-0013-01	MTV_3-3, 7-8, PCl-arg97-PTLX#3, ms, Grids<1"	0.082(#3)	1.55	0.52	0.55	0.0	36
2552-009-0014-01	MTV_3-3, 7-8, SDCl-arg97-PTLX#3, ms	0.082(#3)	1.55	0.59	0.62	0.0	40
2552-009-0015-01	MTV_3-3, 7-8, SDCl-arg97-PTLX#3, ms, Grids<1"	0.082(#3)	1.55	0.53	0.55	0.0	37
2552-009-0016-01	MTV_3-3-3, 1 1_4, PCl-arg97-PCl-arg97-PTLX#5, ms	0.082(#5)	1.19	0.52	0.57	0.0	44
2552-009-0017-01	MTV_3-3-3, 1 1_4, PCl-arg97-PCl-arg97-PTLX#5, ms, Grids<1"	0.082(#5)	1.20	0.47	0.50	0.0	41
2552-009-0018-01	MTV_3-3-3, 1 1_4, PTLX#2-arg97-PCl-arg97-PTLX#5, ms	0.082(#2) 0.082(#5)	0.97	0.47	0.54	0.0	46
2552-009-0019-01	MTV_3-3-3, 1 1_4, PTLX#2-arg97-PCl-arg97-PTLX#5, ms, Grids<1"	0.082(#2) 0.082(#5)	1.00	0.42	0.48	0.0	42