Notice of Product Certification

Company: Feneco Inc.

Address: 831, Rg Castel d'Autray, St-Felix-de-Valois, QC, Canada J0K 2M0
Code: 874-1
Certification No: 874-013
Certification Date: June 16, 2026
Revision Date: N/A
Expiration Date: December 1, 2030

Product/Series Name: Auvent PVC

Report Number: SPL25001-8_C_PRAW-a_A1
Operator Type: PRAW
Frame/Sash Type: VY / VY
Specification: CSA A440.2-22
Simulated By: Veridis Solutions
Air Leakage Report No: AI-06065-E1
Revision Notes: N/A

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada

National Accreditation & Management Institute, Inc,
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com

Administrator's Signature: _____

ER Values

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
874-013-0001-01	Overall Group Leader, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.99	0.23	0.39	0.5	31
874-013-0002-01	GL, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.95	0.23	0.39	0.5	31
874-013-0003-01	BF, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	0.92	0.23	0.39	0.5	32
874-013-0004-01	3-3, 7_8, GUCl-arg95-8071#3, ms	0.082(#3)	1.53	0.49	0.53	0.5	34
874-013-0005-01	3-3, 7_8, GUCl-arg95-8071#3, ms, Grids<1"	0.082(#3)	1.53	0.45	0.48	0.5	32
874-013-0006-01	3-3, 7_8, GUCl-arg95-8071#3, ms, Grids>=1"	0.082(#3)	1.53	0.40	0.43	0.5	29
874-013-0007-01	3-3-3, 1 1_4, GCl-arg95-8071#3-arg95-8071#5, ms	0.082(#3) 0.082(#5)	1.04	0.40	0.47	0.5	39
874-013-0008-01	3-3-3, 1 1_4, GCl-arg95-8071#3-arg95-8071#5, ms, Grids<1"	0.082(#3) 0.082(#5)	1.05	0.37	0.42	0.5	37
874-013-0009-01	3-3-3, 1 1_4, GCl-arg95-8071#3-arg95-8071#5, ms, Grids>=1"	0.082(#3) 0.082(#5)	1.04	0.33	0.38	0.5	35
874-013-0010-01	3-3, 7_8, GUCl-arg97-8071#3, ks	0.082(#3)	1.52	0.49	0.53	0.5	34
874-013-0011-01	3-3, 7_8, GUCl-arg97-8071#3, ks, Grids<1"	0.082(#3)	1.52	0.45	0.48	0.5	32
874-013-0012-01	3-3, 7_8, GUCl-arg97-8071#3, ks, Grids>=1"	0.082(#3)	1.52	0.40	0.43	0.5	29
874-013-0013-01	3-3, 7_8, GCl-arg97-8071#3, ks	0.082(#3)	1.52	0.47	0.53	0.5	33
874-013-0014-01	3-3, 7_8, GCl-arg97-8071#3, ks, Grids<1"	0.082(#3)	1.52	0.43	0.47	0.5	31
874-013-0015-01	3-3, 7_8, GCl-arg97-8071#3, ks, Grids>=1"	0.082(#3)	1.52	0.38	0.43	0.5	28
874-013-0016-01	3-3-3, 1 1_4, GCl-arg97-8071#3-arg97-8071#5, ks	0.082(#3) 0.082(#5)	1.02	0.40	0.47	0.5	40
874-013-0017-01	3-3-3, 1 1_4, GCl-arg97-8071#3-arg97-8071#5, ks, Grids<1"	0.082(#3) 0.082(#5)	1.03	0.37	0.42	0.5	38
874-013-0018-01	3-3-3, 1 1_4, GCl-arg97-8071#3-arg97-8071#5, ks, Grids>=1"	0.082(#3) 0.082(#5)	1.03	0.33	0.38	0.5	36