NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI017030.02
DATE: 06/24/2026
CERTIFICATION PROGRAM: Structural
COMPANY: Plyco
CODE: 765-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Plyco Corporation **dba Modern Door Corporation** **500 Industrial Road/PO Box 386** **Elkhart Lake, WI 53020**	**Series "Plyco VAE 190 VHF"** **Vinyl Single Hung Window** **(w/Step Saver Trim & w/o Sill Riser)** Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1105mm(43.50") H-1918mm(75.50") Sash: W-1041mm(41") H-940mm(37") DLO: W-954mm(37.56") H-854mm(33.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22	**Class LC-PG35 1105 x 1918 (44 x 76)-H** **Design Pressure: 1680 Pa (35 psf)** **Positive Design Pressure: 1920 Pa (40 psf)** **Negative Design Pressure: 1920 Pa (40 psf)** **Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)**

Product Tested By: Intertek, PLC
Report No: Q0355.01-201-44
Expiration Date: **June 30, 2030**

Administrator's Signature: _____

NATIONAL ACCREDITATION & MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com