Notice of Product Certification

Company: Trimbo Window MFG. Inc.

Address: 301 Trowers Road Vaughan, ON, Canada L4L 6A2
Code: 3309-1
Certification No: 3309-003
Certification Date: July 27, 2026
Revision Date: N/A
Expiration Date: August 25, 2027

Product/Series Name: Infinity 2400 Double Hung

Report Number: AT-00991 A1
Operator Type: VSDH
Frame/Sash Type: VY / VY
Specification: CSA A440.2-19
Simulated By: UL
Air Leakage Report No: NCTL-110-19655-1
Revision Notes: N/A

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada

Administrator's Signature: _____

National Accreditation & Management Institute, Inc,
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com

ER Values

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
3309-003-0001-01	CH_ClrGIG-Arg90-8071#3	0.082(#3)	1.70	0.54	0.61	0.1	34
3309-003-0002-01	CH_ClrGIG-Arg90-8071#3_Grids < 1"	0.082(#3)	1.70	0.49	0.54	0.1	31
3309-003-0003-01	CH_ClrGIG-Arg90-8071#3_Grids => 1"	0.082(#3)	1.70	0.43	0.48	0.1	27
3309-003-0004-01	CH_LOF#2-Arg90-ClrPNA-Arg90-LOF#5	0.164(#2) 0.164(#5)	1.25	0.47	0.50	0.1	40
3309-003-0005-01	CH_LOF#2-Arg90-ClrPNA-Arg90-LOF#5_Grids < 1"	0.164(#2) 0.164(#5)	1.25	0.42	0.45	0.1	37
3309-003-0006-01	CH_LOF#2-Arg90-ClrPNA-Arg90-LOF#5_Grids => 1"	0.164(#2) 0.164(#5)	1.25	0.38	0.40	0.1	34
3309-003-0007-01	CH_8071#2-Arg90-ClrGIG-Arg90-8071#5	0.082(#2) 0.082(#5)	1.16	0.45	0.54	0.1	40
3309-003-0008-01	CH_8071#2-Arg90-ClrGIG-Arg90-8071#5_Grids < 1"	0.082(#2) 0.082(#5)	1.16	0.40	0.49	0.1	38
3309-003-0009-01	CH_8071#2-Arg90-ClrGIG-Arg90-8071#5_Grids => 1"	0.082(#2) 0.082(#5)	1.16	0.36	0.43	0.1	35
3309-003-0010-01	SM_180#2-Arg90-i89#4	0.068(#2) 0.149(#4)	1.45	0.48	0.59	0.1	36
3309-003-0011-01	SM_180#2-Arg90-i89#4_Grids < 1"	0.068(#2) 0.149(#4)	1.45	0.43	0.53	0.1	33
3309-003-0012-01	SM_180#2-Arg90-i89#4_Grids => 1"	0.068(#2) 0.149(#4)	1.45	0.38	0.46	0.1	30
3309-003-0013-01	SM_ClrCGI-Arg90-180#3	0.068(#3)	1.69	0.53	0.60	0.1	33
3309-003-0014-01	SM_ClrCGI-Arg90-180#3_Grids < 1"	0.068(#3)	1.69	0.47	0.54	0.1	30
3309-003-0015-01	SM_ClrCGI-Arg90-180#3_Grids => 1"	0.068(#3)	1.69	0.42	0.48	0.1	27
3309-003-0016-01	SM_366#2-Arg90-ClrCGI-Arg90-366#5	0.02(#2) 0.02(#5)	1.10	0.18	0.36	0.1	26
3309-003-0017-01	SM_366#2-Arg90-ClrCGI-Arg90-366#5_Grids < 1"	0.02(#2) 0.02(#5)	1.10	0.17	0.32	0.1	26
3309-003-0018-01	SM_366#2-Arg90-ClrCGI-Arg90-366#5_Grids => 1"	0.02(#2) 0.02(#5)	1.10	0.15	0.28	0.1	24
3309-003-0019-01	CH_3mm-272#2-Arg90-ClrCGI	0.042(#2)	1.66	0.32	0.55	0.1	22
3309-003-0020-01	CH_3mm-272#2-Arg90-ClrCGI_Grids<1"	0.042(#2)	1.66	0.29	0.49	0.1	20
3309-003-0021-01	CH_3mm-272#2-Arg90-ClrCGI_Grids>=1"	0.042(#2)	1.66	0.26	0.43	0.1	18
3309-003-0022-01	SM_3mm-272#2-Arg90-ClrCGI	0.042(#2)	1.66	0.32	0.55	0.1	22
3309-003-0023-01	SM_3mm-272#2-Arg90-ClrCGI_Grids<1"	0.042(#2)	1.66	0.29	0.49	0.1	20
3309-003-0024-01	SM_3mm-272#2-Arg90-ClrCGI_Grids>=1"	0.042(#2)	1.66	0.26	0.43	0.1	18
3309-003-0025-01	SM_4mm-272#2-Arg90-ClrCGI	0.042(#2)	1.65	0.32	0.54	0.1	22
3309-003-0026-01	SM_4mm-272#2-Arg90-ClrCGI_Grids<1"	0.042(#2)	1.65	0.28	0.48	0.1	20

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
3309-003-0027-01	SM_4mm-272#2-Arg90-ClrCGI_Grids>=1"	0.042(#2)	1.65	0.25	0.43	0.1	18
3309-003-0028-01	SM_3mm-272#2-Arg90-ClrCGI-Arg90-272#5	0.042(#2) 0.042(#5)	1.12	0.27	0.44	0.1	31
3309-003-0029-01	SM_3mm-272#2-Arg90-ClrCGI-Arg90-272#5_Grids<1"	0.042(#2) 0.042(#5)	1.12	0.24	0.39	0.1	29
3309-003-0030-01	SM_3mm-272#2-Arg90-ClrCGI-Arg90-272#5_Grids>=1"	0.042(#2) 0.042(#5)	1.12	0.22	0.34	0.1	28
3309-003-0031-01	SM_4mm-272#2-Arg90-ClrCGI-Arg90-272#5	0.042(#2) 0.042(#5)	1.18	0.27	0.43	0.1	30
3309-003-0032-01	SM_4mm-272#2-Arg90-ClrCGI-Arg90-272#5_Grids<1"	0.042(#2) 0.042(#5)	1.18	0.24	0.39	0.1	28
3309-003-0033-01	SM_4mm-272#2-Arg90-ClrCGI-Arg90-272#5_Grids>=1"	0.042(#2) 0.042(#5)	1.18	0.22	0.34	0.1	27