# Notice of Product Certification

**Company: Trimbo Window MFG. Inc.**

Address: 301 Trowers Road Vaughan, ON, Canada L4L 6A2
Code: 3309-1
Certification No: 3309-009
Certification Date: August 8, 2026
Revision Date: September 15, 2026
Expiration Date: June 30, 2030

**Product/Series Name: Infinity 4200 / 5200 / 4500 / 5500**

Report Number: NRG20006-22_4600PVC_PCE-C_PRAW-a_A1
Operator Type: PRAW
Frame/Sash Type: VY / VY
Specification: CSA A440.2-19, A440.2-22
Simulated By: Veridis Solutions
Air Leakage Report No: AI-05839-A1 Rev.1
Revision Notes: Extension 5 Years

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada

Administrator's Signature: _____

National Accreditation & Management Institute, Inc,
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com

# ER Values

| Product Number | Manufacturer Product Code | Emissivity (Surface #) | U-Factor (M) | SHGC (w) | VT | Air Leakage | ER |
|---|---|---|---|---|---|---|---|
| 3309-009-0001-01 | 3mm, 1 1-8, 272#2-arg90-GCl-arg90-272#5, ms | 0.042(#2)<br>0.042(#5) | 1.01 | 0.26 | 0.41 | 0.2 | 33 |
| 3309-009-0002-01 | 3mm, 1 1-8, 272#2-arg90-GCl-arg90-272#5, ms, Grids<1" | 0.042(#2)<br>0.042(#5) | 1.01 | 0.23 | 0.37 | 0.2 | 31 |
| 3309-009-0003-01 | 3mm, 1 1-8, 272#2-arg90-GCl-arg90-272#5, ms, Grids>=1" | 0.042(#2)<br>0.042(#5) | 1.01 | 0.21 | 0.34 | 0.2 | 30 |
| 3309-009-0004-01 | 3mm, 1 1-8, 272#2-arg90-GCl-arg90-272#5, ms, SDL<1" | 0.042(#2)<br>0.042(#5) | 1.01 | 0.23 | 0.37 | 0.2 | 31 |
| 3309-009-0005-01 | 3mm, 1 1-8, 272#2-arg90-GCl-arg90-272#5, ms, SDL>=1" | 0.042(#2)<br>0.042(#5) | 1.01 | 0.21 | 0.34 | 0.2 | 30 |
| 3309-009-0006-01 | 4mm, 7-8, 272#2-arg90-GCl, ms | 0.042(#2) | 1.52 | 0.30 | 0.51 | 0.2 | 24 |
| 3309-009-0007-01 | 4mm, 7-8, 272#2-arg90-GCl, ms, Grids<1" | 0.042(#2) | 1.52 | 0.27 | 0.46 | 0.2 | 22 |
| 3309-009-0008-01 | 4mm, 7-8, 272#2-arg90-GCl, ms, Grids>=1" | 0.042(#2) | 1.52 | 0.25 | 0.42 | 0.2 | 21 |
| 3309-009-0009-01 | 4mm, 7-8, 272#2-arg90-GCl, ms, SDL<1" | 0.042(#2) | 1.52 | 0.27 | 0.46 | 0.2 | 22 |
| 3309-009-0010-01 | 4mm, 7-8, 272#2-arg90-GCl, ms, SDL>=1" | 0.042(#2) | 1.52 | 0.25 | 0.42 | 0.2 | 21 |
| 3309-009-0011-01 | 3mm, 7-8, 272#2-arg90-GCl, ms | 0.042(#2) | 1.53 | 0.30 | 0.52 | 0.2 | 23 |
| 3309-009-0012-01 | 3mm, 7-8, 272#2-arg90-GCl, ms, Grids<1'' | 0.042(#2) | 1.53 | 0.27 | 0.47 | 0.2 | 22 |
| 3309-009-0013-01 | 3mm, 7-8, 272#2-arg90-GCl, ms, Grids>=1'' | 0.042(#2) | 1.53 | 0.25 | 0.42 | 0.2 | 21 |
| 3309-009-0014-01 | 3mm, 7-8, 272#2-arg90-GCl, ms, SDL<1'' | 0.042(#2) | 1.53 | 0.27 | 0.47 | 0.2 | 22 |
| 3309-009-0015-01 | 3mm, 7-8, 272#2-arg90-GCl, ms, SDL>=1'' | 0.042(#2) | 1.53 | 0.25 | 0.42 | 0.2 | 21 |
| 3309-009-0016-01 | 4mm, 1 1-8, 272#2-arg90-GCl-arg90-272#5, ms | 0.042(#2)<br>0.042(#5) | 1.09 | 0.25 | 0.41 | 0.2 | 30 |
| 3309-009-0017-01 | 4mm, 1 1-8, 272#2-arg90-GCl-arg90-272#5, ms, SDL<1'' | 0.042(#2)<br>0.042(#5) | 1.09 | 0.23 | 0.37 | 0.2 | 29 |
| 3309-009-0018-01 | 4mm, 1 1-8, 272#2-arg90-GCl-arg90-272#5, ms, SDL>=1'' | 0.042(#2)<br>0.042(#5) | 1.09 | 0.21 | 0.33 | 0.2 | 28 |
| 3309-009-0019-01 | 3mm, 7-8, 272#2-arg90-GCl, cu | 0.042(#2) | 1.52 | 0.30 | 0.52 | 0.2 | 24 |
| 3309-009-0020-01 | 3mm, 7-8, 272#2-arg90-GCl, cu, Grids<1'' | 0.042(#2) | 1.52 | 0.27 | 0.47 | 0.2 | 22 |
| 3309-009-0021-01 | 3mm, 7-8, 272#2-arg90-GCl, cu, Grids>=1'' | 0.042(#2) | 1.52 | 0.25 | 0.42 | 0.2 | 21 |
| 3309-009-0022-01 | 3mm, 7-8, 272#2-arg90-GCl, cu, SDL<1'' | 0.042(#2) | 1.52 | 0.27 | 0.47 | 0.2 | 22 |
| 3309-009-0023-01 | 3mm, 7-8, 272#2-arg90-GCl, cu, SDL>=1'' | 0.042(#2) | 1.52 | 0.25 | 0.42 | 0.2 | 21 |
| 3309-009-0024-01 | 3mm_1 1_4''_366#2-arg90-Clr-arg90-366#5 \| im | 0.020(#2)<br>0.020(#5) | 0.92 | 0.17 | 0.34 | 0.2 | 29 |

| Product Number | Manufacturer Product Code | Emissivity (Surface #) | U-Factor (M) | SHGC (w) | VT | Air Leakage | ER |
|---|---|---|---|---|---|---|---|
| 3309-009-0025-01 | 3mm_1 1_4''_366#2-arg90-Clr-arg90-366#5 \| im \| Grids<1'' | 0.020(#2)<br>0.020(#5) | 0.92 | 0.16 | 0.30 | 0.2 | 29 |
| 3309-009-0026-01 | 3mm_1 1_4''_366#2-arg90-Clr-arg90-366#5 \| im \| Grids>1'' | 0.020(#2)<br>0.020(#5) | 0.92 | 0.15 | 0.27 | 0.2 | 28 |
| 3309-009-0027-01 | 3mm_1 1_4''_LOF#2-arg90-Clr-arg90-LOF#5 \| cu | 0.164(#2)<br>0.164(#5) | 1.12 | 0.44 | 0.48 | 0.2 | 40 |
| 3309-009-0028-01 | 3mm_1 1_4''_LOF#2-arg90-Clr-arg90-LOF#5 \| cu \| Grids<1'' | 0.164(#2)<br>0.164(#5) | 1.12 | 0.40 | 0.43 | 0.2 | 38 |
| 3309-009-0029-01 | 3mm_1 1_4''_LOF#2-arg90-Clr-arg90-LOF#5 \| cu \| Grids>1'' | 0.164(#2)<br>0.164(#5) | 1.12 | 0.37 | 0.39 | 0.2 | 36 |
| 3309-009-0030-01 | 3mm_1 1_4''_8071#2-arg90-Clr-arg90-8071#5 \| cu | 0.082(#2)<br>0.082(#5) | 1.04 | 0.43 | 0.52 | 0.2 | 42 |
| 3309-009-0031-01 | 3mm_1 1_4''_8071#2-arg90-Clr-arg90-8071#5 \| cu \| Grids<1'' | 0.082(#2)<br>0.082(#5) | 1.04 | 0.39 | 0.47 | 0.2 | 39 |
| 3309-009-0032-01 | 3mm_1 1_4''_8071#2-arg90-Clr-arg90-8071#5 \| cu \| Grids>1'' | 0.082(#2)<br>0.082(#5) | 1.04 | 0.35 | 0.42 | 0.2 | 37 |
| 3309-009-0033-01 | 3mm_0 7_8''_180#2-arg95-i89#4 \| im | 0.068(#2)<br>0.149(#4) | 1.30 | 0.45 | 0.56 | 0.2 | 37 |
| 3309-009-0034-01 | 3mm_0 7_8''_180#2-arg95-i89#4 \| im \| Grids<1'' | 0.068(#2)<br>0.149(#4) | 1.30 | 0.41 | 0.50 | 0.2 | 35 |
| 3309-009-0035-01 | 3mm_0 7_8''_180#2-arg95-i89#4 \| im \| Grids>1'' | 0.068(#2)<br>0.149(#4) | 1.30 | 0.37 | 0.45 | 0.2 | 33 |
| 3309-009-0036-01 | 3mm_0 7_8''_Clr-arg95-180#3 \| im | 0.068(#3) | 1.50 | 0.51 | 0.57 | 0.2 | 36 |
| 3309-009-0037-01 | 3mm_0 7_8''_Clr-arg95-180#3 \| im \| Grids<1'' | 0.068(#3) | 1.50 | 0.46 | 0.52 | 0.2 | 33 |
| 3309-009-0038-01 | 3mm_0 7_8''_Clr-arg95-180#3 \| im \| Grids>1'' | 0.068(#3) | 1.50 | 0.42 | 0.47 | 0.2 | 31 |
| 3309-009-0039-01 | 3mm_0 7_8''_Clr-arg95-8071#3 \| cu | 0.082(#3) | 1.55 | 0.52 | 0.58 | 0.2 | 36 |
| 3309-009-0040-01 | 3mm_0 7_8''_Clr-arg95-8071#3 \| cu \| Grids<1'' | 0.082(#3) | 1.55 | 0.48 | 0.52 | 0.2 | 33 |
| 3309-009-0041-01 | 3mm_0 7_8''_Clr-arg95-8071#3 \| cu \| Grids>1'' | 0.082(#3) | 1.55 | 0.43 | 0.47 | 0.2 | 30 |