NFRC Product Certification Authorization Report

Manufacturer:	Foshan Kesenbao Doors & Windows Co., Ltd.	**Product Series:**	75 Tilt and Turn Window	**Simulation Lab:**	SFTL	**Initial Cert. Date:**	07/13/2026
Street:	No.3, Huangdong Road Side, Liubian * Guanyao, Shishan Town, Nanhai District	**Product Type:**	DATT	**Sim. Report #:**	MED-7049a	**Re-Certification Date:**	
City/State/Zip:	Foshan, Guangdong 528225	**Air Leakage:**	≤ 0.3	**Sim. Report Date:**	04/27/2026	**Revised Date:**	01/01/1970
Print Date:	07/13/2026			**Test Date:**	03/30/2026	**Expiration Date:**	03/30/2031

CPD Number: FKW-M-1 **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res
	00001-00001	6|X179(2)-6|X179(4)-6|GCL(6)-15AR90T13	AT/AT	3	0.048(2), 0.048(4)	0.591,0.591	TS-D	Fill 1: ARG (90),Fill 2: ARG (90)	N		CL	0.22	0.25	0.20	66

Baseline Information

Test Lab	Test Date	Test Size	Tested U-Value	Standard U-Value	Test Report Number
TFTL	**03/30/2026**	1200mm x 1500mm	0.200	0.198	MED-7049b

Comments: Air Leakage Rpt: MED-7049c.

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature: