Notice of Product Certification

Company: A.B.A Fenestration Inc.

Address: 245, Montee de Liesse, St-Laurent, QC, Canada H4T 1P5
Code: 1842-1
Certification No: 1842-010
Certification Date: August 19, 2026
Revision Date: N/A
Expiration Date: December 4, 2030

Product/Series Name: Grand Fixe Aluminium 9100

Report Number: SPL22002-24_C_HSOX_2_A1
Operator Type: FIXD
Frame/Sash Type: AT/ NA
Specification: CSA A440.2-22
Simulated By: Veridis Solutions
Air Leakage Report No: AI-05574-D1
Revision Notes: N/A

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada

National Accreditation & Management Institute, Inc,
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com

Administrator's Signature: _____

ER Values

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (M)	SHGC (w)	VT	Air Leakage	ER
1842-010-0001-01	GL, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	1.08	0.27	0.46	0.1	32
1842-010-0002-01	BF, 3-3-3, 1 1-4, SB60#2-arg95-PCl-arg95-SB60#5, su	0.035(#2) 0.035(#5)	1.08	0.27	0.46	0.1	32
1842-010-0003-01	3-3-3, 1 1_4, GCl-arg95-8071#3-arg95-8071#5, ms	0.082(#3) 0.082(#5)	1.17	0.48	0.55	0.1	42
1842-010-0004-01	3-3-3, 1 1_4, GCl-arg95-8071#3-arg95-8071#5, ms, Grids<1"	0.082(#3) 0.082(#5)	1.20	0.43	0.49	0.1	38
1842-010-0005-01	3-3-3, 1 1_4, GCl-arg95-8071#3-arg95-8071#5, ms, Grids>=1"	0.082(#3) 0.082(#5)	1.19	0.38	0.44	0.1	36
1842-010-0006-01	3-3-3, 1 1_4, GCl-arg97-8071#3-arg97-8071#5, ks	0.082(#3) 0.082(#5)	1.16	0.48	0.55	0.1	42
1842-010-0007-01	3-3-3, 1 1_4, GCl-arg97-8071#3-arg97-8071#5, ks, Grids<1"	0.082(#3) 0.082(#5)	1.19	0.43	0.49	0.1	39
1842-010-0008-01	3-3-3, 1 1_4, GCl-arg97-8071#3-arg97-8071#5, ks, Grids>=1"	0.082(#3) 0.082(#5)	1.18	0.38	0.44	0.1	36
1842-010-0009-01	3-3, 7_8, GUCl-arg95-8071#3, ms	0.082(#3)	1.76	0.58	0.63	0.1	35
1842-010-0010-01	3-3, 7_8, GUCl-arg95-8071#3, ms, Grids<1"	0.082(#3)	1.76	0.52	0.56	0.1	31
1842-010-0011-01	3-3, 7_8, GUCl-arg95-8071#3, ms, Grids>=1"	0.082(#3)	1.76	0.46	0.50	0.1	28